

ACHILLES



achilles

89

ACHILLES. THE QUALITY SHOWS.

Inflatable boats let you enjoy the best of boating: sport, skiing, diving and fishing. Without the rest of boating: storing, transporting and launching. Whether you're looking for a practical dinghy, a roomy tender or a high-performance sportboat, when it comes to inflatable boats, the name to look for is Achilles. Because the fact is, you can't buy a better built, designed or performing inflatable boat than Achilles. Over the years, while other manufacturers have cut corners to lower costs or ease production, Achilles continued to set the standards for safety, comfort and reliability. We refused to compromise on quality. Never have. Never will. Which is why serious boaters – those who really know inflatables – choose Achilles. And why Achilles boats were selected in 1988 to go to Antarctica with the "Spirit of Adventure" expedition. Chosen to be the Official Rescue Boat for the International Outboard Grand Prix. And named the Official Support Boat for the *Mystique*, the world renowned film, dive and research vessel.



SAFETY FIRST.

Whether you're out on the water every day of the year or just a day tripper, safety should be your first concern. It is at Achilles. That's why there are more air chambers on Achilles boats than on our competitors' comparably-sized models. It's why every Achilles has the strongest seam construction in the industry. Safety is also the reason you'll find little "extras" such as interior safety handles and double-capped valves on an Achilles. And it's why our buoyancy tubes are made wide for extra stability. When you compare safety features, Achilles is first.

TOP PERFORMER.

As good as Achilles boats look next to other inflatables, it's on the water where our quality really shines through. Each Achilles boat is designed to respond to your particular need. Our sportboats have a deep "V" hull for greater maneuverability at high speed. Our dinghies can carry people and gear comfortably. Large tube diameters let Achilles tenders carry especially heavy loads. And our roomy dive boats move quickly with outstanding stability. Whether for work or play, in an Achilles boat, you're sure of a winning performance.




Close encounter with a Gray whale



At work on the IOGP circuit



An Achilles riverboat fights the rapids



"Doc" White, Mystique Captain

BEST FABRIC.

In fabric, Achilles is again Number One. We manufacture our own fabric to insure it meets our high standards using Dupont Hypalon[®] as a reinforcing agent. Hypalon[®] is tough enough to be used in chemical tank coatings and acid-carrying hose. Some other manufacturers use polyvinylchloride (PVC) or other agents in their fabric compounds. Our years of experience have proven to us that nothing beats Hypalon[®] in resisting damage from abrasions, oil, gasoline, warm salt water or ultraviolet rays. So our commitment to quality allows us to use nothing but Hypalon[®] on all our boats, from the smallest dinghy to the largest workboat.

RAISING STANDARDS.

The more you know about inflatables, the better Achilles boats look. So don't just take our word for it. Ask inflatable owners. Read the reviews. See why Achilles boats lead the way in safety, fabric, design and performance. This is why our boats were rated first for having the lowest incidence of repairs among all inflatables. Achilles boats are the best. And each year we raise the standard even more by investing time and money into ongoing research. Continually improving on our best - that's the Achilles commitment to you. Achilles. The quality shows.

ACHILLES. THE QUALITY SHOWS THROUGH FEATURES.

Quality is evident in every feature on every Achilles boat; from small details such as the careful placement of safety hand grips to major innovations including the sophisticated floorboard and oar systems which Achilles introduced to the industry. Ride in an Achilles and you will really appreciate the superiority of design and features. You'll enjoy a better performing, more comfortable, drier boat. That's because we build more and better features into all our boats. Comparisons with other inflatables will prove it and our strong warranty guarantees it.



1. Achilles boats all come with carry bags. Larger boats have two to transport easily.



2. Every Achilles comes with a large volume foot pump for fast, easy inflation.



3. Achilles floorboards slide easily into position...



4. ...lock into place and are secured with stringers.

A nylon core is reinforced with Hypalon[®] outside and two layers of Neoprene inside on *all* Achilles boats.




OUR FABRIC RESISTS DAMAGE AND WELCOMES COMPARISON.

The fabric is the single most important factor in an inflatable boat and no one makes a tougher, more durable fabric than Achilles. Achilles boats are made with Hypalon[®]-reinforced fabric. Hypalon[®], developed by Dupont, has proven to be the single best agent for resisting damage to inflatable boats from abrasions, oil, gasoline, warm salt water or ultraviolet rays. We use Hypalon[®] over a tough heavy-duty nylon core for maximum strength and toughness. The inside of our fabric is coated with two layers of Neoprene because this elastomer has proven to be more airtight than Hypalon[®]. This guarantees that our boats will remain fully inflated longer, even in extreme temperatures. The result is a multi-layered fabric offering superior strength and toughness on the outside, and unsurpassed air retention inside. So Achilles boats not only hold air longer, they *last* longer. These costly, time-consuming steps are taken to insure unsurpassed quality and safety. Achilles quality control personnel inspect each boat that goes through not once, but at every stage of production. A final inspection is made of each of the boats before packaging. This means that consumers can expect a trouble-free inflatable right out of the box.

LOOK BEHIND THE SEAMS.

Seam construction on an inflatable is as important as fabric. If a seam fails, having the best fabric doesn't mean much. This is why we take extra steps to insure the strongest seams, and back them up with an unsurpassed full five-year warranty. We overlap all our seams a full inch and tape them inside *and* out to insure safety. Some manufacturers join seams end-to-end with no overlap and others use only outside seam tape.



Achilles boats all offer multiple air chambers for extra safety.

MORE AIR CHAMBERS MEAN MORE SAFETY.

In direct comparisons with competing models, you'll see that Achilles boats usually have at least one more air chamber. Not only is this an obvious safety feature, it also increases the buoyancy and loading capacity of Achilles boats. Just another extra step Achilles takes to produce the world's best inflatables.

FIVE YEAR WARRANTY ON FABRIC & SEAMS


WE BACK OUR CLAIM TO HAVING THE BEST FABRIC AND CONSTRUCTION IN THE INDUSTRY WITH A STRONG WARRANTY COMMITMENT.



Fiberglass transoms with motor pads are featured on most Achilles sportboats.



A heavy duty stainless steel bow carry handle is standard on Achilles sportboats




Achilles inflatables are designed to provide stability far superior to rigid hull boats.



5. The job is done in minutes and you're ready for fun!

VALVES THAT CHECK THEMSELVES.

The valves on all Achilles boats are double-capped for safety. These one-way "check" valves allow for fast inflation while making it impossible for air to escape. Completely non-corrosive, they also make deflation a breeze when both caps are removed.



A deep "V" inflatable keel helps Achilles sportboats and sport dinghies maneuver well.



A DESIGN THAT INSURES STABILITY AND PERFORMANCE.

Every Achilles boat is custom-designed through our advanced CAD (Computer-aided Design) system to insure the optimum ratio among length, beam, tube diameter and load capacity. This means that Achilles boats are produced in the ideal proportion to insure stability and performance. Each model, even within the same series, is different. This is not the case with some manufacturers who produce standard tube diameters for a number of different models.

MORE IN THE FLOOR.

Aluminum, wood, roll-up... Achilles has the right floor system for each of our boats.

Our advanced, self-locking systems go in easily and provide a rigid floor for comfortable boating. Combined with the inflatable deep "V" keels on Achilles sportboats and sportdinghies, our floor systems stay firmly in place and help Achilles boats carry heavy loads while still providing sportboat performance. The roll-up floor system in some of our dinghy models provides the ultimate in convenience and portability.



THE FEATURES GO ON AND ON.


The attention to small detail at Achilles means more and better features on every boat. Larger boats have well-placed lifting handles to make launching easier and come with two carry bags for easier transporting and storing when stowed. Every boat comes with high-volume foot bellows for faster inflation. Many boats have reinforced step guards to protect the boats and provide sure footing when boarding. All come with grab lines which make it easier to enter the boat from the water. Some have "tear drop" rubbing strakes which not only add extra protection against docks, pilings, rocks, etc., but which also turn spray away from the inside of the boat for a drier ride. The list goes on and on. You won't find a better-equipped inflatable.

ADDITIONAL FEATURES FOUND ON MOST ACHILLES BOATS.

- REMOVABLE BOWDODGERS for a drier ride and dry gear storage.
- FUEL TANK TIE DOWNS to keep gasoline tanks from moving about.
- TOWING RINGS and BOW RINGS for easy towing and tie-up.
- PAINTER LINES for easy tie-up.
- ALUMINUM MOTOR PADS on transom models to protect transoms and prevent engine "ride-up."
- REINFORCED RUBBING STRIP to provide extra protection all around the boat.
- MULTI-PURPOSE INTERIOR RINGS for securing "hold-alls" and other items.
- WOOD or INFLATABLE SEATS for extra comfort.
- MAINTENANCE KITS.

OUR OAR SYSTEM IS THE SOLUTION.

Virtually all Achilles boats come equipped with the most advanced oar system in the industry. One we invented and perfected. This down, locking system keeps oars securely alongside the buoy-tubes when not in use. This keeps them from flopping around when the boat is moving and out-of-the-way during boarding. Our two-piece aluminum oars lock in place for rowing which eliminates the possibility of losing an oar overboard. Most of our boats also come fully-equipped with the ideal seat or seats to make rowing any Achilles as easy as possible.



SPORT GRAND (SG) SERIES

The newest Achilles sportboat is the most feature-packed ever! It's been designed with a square bow, extended interior floorspace and large tube diameters to carry lots of gear. It also has the deepest "V" keel of any Achilles boat for all the superior handling and excitement you expect from a high-performance sportboat. The result is an ideal dive boat, ski boat, fishing boat and all-purpose sportboat.

In addition to the square, raised bow design, SG boats all boast non-slip, non-corrosive locking aluminum floorboards and fiberglass transoms with heavy-duty transom plate outside and motor pads inside to handle large horsepower motors. There's also a "teardrop" rub rail around the entire length of the boat which deflects spray for a drier ride. And naturally, it offers Achilles advanced fold-down, locking oar system (except on the SG156) and all the other great Achilles standard features.

Practical, tough and fast - you won't find an inflatable sportboat that delivers more excitement!



SG-156



Standard features include:
aluminum floorboards;
fiberglass transom; teardrop rub
rail; transom motor plate; two carry
bags; towing bridle; locking oar system
(except 156); two-piece breakdown aluminum
oars (except 156); removable spraydodger; fuel
tank tie-downs; bailer valves; non-corrosive check
valves; high-volume foot pump; maintenance kit; lifelines;
carry handles.





	SG-124
LENGTH OVERALL INSIDE	12'4" (375 cm.) 8'11" (272 cm.)
BEAM OVERALL INSIDE	5'4" (161 cm.) 2'6" (75 cm.)
STOWED BOAT	4'1" x 2'2" x 1'2" 125 x 67 x 36 cm.
STOWED FLOOR	3'1" x 2'2" x 6" 93 x 67 x 16 cm.
TUBE DIAMETER	17" (43 cm.)
WEIGHT	175 lbs. (79.5 kg.)
LOADING CAPACITY	1,470 lbs. (670 kg.)
PERSON CAPACITY	5
RECOMMENDED H.P.	20 (6-35) Standard shaft
NO. OF AIR CHAMBERS	4 plus air keel
COLOR	Black or Red
	SG-140
LENGTH OVERALL INSIDE	14'0" (425 cm.) 10'0" (305 cm.)
BEAM OVERALL INSIDE	5'9" (175 cm.) 2'9" (85 cm.)
STOWED BOAT	4'6" x 2'2" x 1'2" 137 x 67 x 36 cm.
STOWED FLOOR	3'5" x 2'6" x 8" 104 x 75 x 19 cm.
TUBE DIAMETER	18" (45 cm.)
WEIGHT	221 lbs. (100.5 kg.)
LOADING CAPACITY	1960 lbs. (890 kg.)
PERSON CAPACITY	6
RECOMMENDED H.P.	30 (9.9-50) Standard shaft
NO. OF AIR CHAMBERS	4 plus air keel
COLOR	Black or Red
	SG-156
LENGTH OVERALL INSIDE	15'6" (473 cm.) 10'11" (333 cm.)
BEAM OVERALL INSIDE	6'3" (190 cm.) 3' (90 cm.)
STOWED BOAT	5' x 2'4" x 1'2" 152 x 74 x 36 cm.
STOWED FLOOR	3'7" x 2'6" x 8" 110 x 76 x 19 cm.
TUBE DIAMETER	20" (50 cm.)
WEIGHT	264 lbs. (120 kg.)
LOADING CAPACITY	2,820 lbs. (1,280 kg.)
PERSON CAPACITY	8
RECOMMENDED H.P.	35 (9.9-55) Standard shaft
NO. OF AIR CHAMBERS	5 plus air keel
COLOR	Black or Red

SPORT KNIGHT (SK) SERIES

We've added some luxury features to our super popular SD Sportboat series and come up with the exciting SK line. These high-performance sportboats provide all the room and superb handling you expect from a quality inflatable, plus many Achilles "extras" which make it ideal for serious boaters who must depend on a reliable inflatable.

The rugged aluminum floorboards provide great traction, resist damage from gear, chemicals or the elements and are virtually maintenance-free. The fiberglass transoms are reinforced with heavy-duty metal plates to handle high-performance motors, and Achilles' unique "teardrop" rub rail deflects tube spray all around the boat for a dry ride. These are in addition to the host of exclusive features and super tough Hypalon®-reinforced fabric found on all Achilles sportboats.

When you're looking for sportboat excitement, make a Knight out of it!




SK-140



Standard features include: double-carry bag system; extra bow carry handles; full-length splash guard; towing bridle; fold-down, locking oar system with two-piece aluminum oars (except 156); aluminum floorboards; heavy-duty transom plate; teardrop rub rail; removable bow spraydodger; large, non-corrosive check valves; high-volume foot pump; fuel tank tie-downs; lifelines; fiberglass transom; bailer valves; maintenance kit.



Heavy-duty transom plate.



	SK-124
LENGTH OVERALL	12'4" (375 cm.)
INSIDE	7'9" (235 cm.)
BEAM OVERALL	5'4" (161 cm.)
INSIDE	2'6" (75 cm.)
STOWED BOAT	4' x 1'10" x 1'2" 123 x 55 x 36 cm.
STOWED FLOOR	3' x 2' x 6" 93 x 60 x 16 cm.
TUBE DIAMETER	17" (43 cm.)
WEIGHT	156 lbs. (71 kg.)
LOADING CAPACITY	1,540 lbs. (700 kg.)
PERSON CAPACITY	5
RECOMMENDED H.P.	20 (6-35) Standard shaft
NO. OF AIR CHAMBERS	4 plus air keel
COLOR	Black, Red, Green/Black
	SK-140
LENGTH OVERALL	14'0" (425 cm.)
INSIDE	8'8" (265 cm.)
BEAM OVERALL	5'6" (167 cm.)
INSIDE	2'7" (77 cm.)
STOWED BOAT	4'5" x 2'2" x 1' 135 x 65 x 31 cm.
STOWED FLOOR	3'1" x 2'2" x 7" 95 x 65 x 19 cm.
TUBE DIAMETER	18" (45 cm.)
WEIGHT	195 lbs. (88.5 kg.)
LOADING CAPACITY	1,940 lbs. (880 kg.)
PERSON CAPACITY	6
RECOMMENDED H.P.	30 (9.9-50) Standard shaft
NO. OF AIR CHAMBERS	4 plus air keel
COLOR	Black, Red, Green/Black
	SK-156
LENGTH OVERALL	15'6" (473 cm.)
INSIDE	9'6" (290 cm.)
BEAM OVERALL	6'3" (190 cm.)
INSIDE	3' (90 cm.)
STOWED BOAT	5' x 2'4" x 1'2" 152 x 71 x 36 cm.
STOWED FLOOR	3'7" x 2'6" x 8" 110 x 75 x 19 cm.
TUBE DIAMETER	20" (50 cm.)
WEIGHT	250 lbs. (113 kg.)
LOADING CAPACITY	2,750 lbs. (1,250 kg.)
PERSON CAPACITY	8
RECOMMENDED H.P.	35 (9.9-55) Standard shaft
NO. OF AIR CHAMBERS	5 plus air keel
COLOR	Black, Red, Green/Black

SPORT DELUXE (SD) SERIES

Our SD models are our most popular sportboats because they are versatile enough to handle virtually any boating need. Their roominess and stability make them a favorite with divers and fishermen while their performance and maneuverability make them popular with recreational boaters of all types.

SD Sportboats deliver an array of standard features not found on other inflatables. Major features such as an inflatable deep "V" keel, fiberglass transom and sophisticated oar system are complemented by a range of subtle features designed to make these boats as comfortable and practical as possible – fuel tank tie-downs, two carry bag system so one person can carry a stowed boat, full-length splash guard for a dry ride, bailer valves to empty water automatically while underway and extra carry handles for easy launching and retrieving.


If you're looking for an inflatable that does everything, you need the one that has everything – the Achilles SD Sportboat.



SD-124



Standard features include: non-skid, self-locking floor-board system with aluminum stringers; bow carry handles and bow lift handle; full-length splash guard; towing bridle; fold-down, locking oar system with two-piece, aluminum oars (except 156); removable spraydodger; bailer valves; high-volume foot pump; non-corrosive check valves; two carry bags; fuel tank tie-downs; lifelines; fiberglass transom; maintenance kit.



	SD-124
LENGTH OVERALL INSIDE	12'4" (375 cm.) 7'9" (235 cm.)
BEAM OVERALL INSIDE	5'4" (161 cm.) 2'6" (75 cm.)
STOWED BOAT	4' x 1'10" x 1'2" 123 x 55 x 36 cm.
STOWED FLOOR	3' x 1'11" x 5" 92 x 59 x 13 cm.
TUBE DIAMETER	17" (43 cm.)
WEIGHT	149 lbs. (67.5 kg.)
LOADING CAPACITY	1,540 lbs. (700 kg.)
PERSON CAPACITY	5
RECOMMENDED H.P.	20 (6-35) Standard shaft
NO. OF AIR CHAMBERS	4 plus air keel
COLOR	Red, Grey
	SD-130
LENGTH OVERALL INSIDE	13'2" (400 cm.) 8'3" (250 cm.)
BEAM OVERALL INSIDE	5'6" (167 cm.) 2'7" (77 cm.)
STOWED BOAT	4'5" x 2' x 1" 135 x 61 x 31 cm.
STOWED FLOOR	3'4" x 2' x 6" 94 x 61 x 15 cm.
TUBE DIAMETER	18" (45 cm.)
WEIGHT	166 lbs. (75.5 kg.)
LOADING CAPACITY	1,910 lbs. (870 kg.)
PERSON CAPACITY	6
RECOMMENDED H.P.	20 (6-35) Standard shaft
NO. OF AIR CHAMBERS	4 plus air keel
COLOR	Red, Blue/Black
	SD-140
LENGTH OVERALL INSIDE	14'0" (425 cm.) 8'8" (265 cm.)
BEAM OVERALL INSIDE	5'6" (167 cm.) 2' 7" (77 cm.)
STOWED BOAT	4'5" x 2'2" x 1" 135 x 65 x 31 cm.
STOWED FLOOR	3'1" x 2'2" x 6" 94 x 65 x 15 cm.
TUBE DIAMETER	18" (45 cm.)
WEIGHT	189 lbs. (86 kg.)
LOADING CAPACITY	1,940 lbs. (880 kg.)
PERSON CAPACITY	6
RECOMMENDED H.P.	30 (9.9-50) Standard shaft
NO. OF AIR CHAMBERS	4 plus air keel
COLOR	Red, Grey
	SD-156
LENGTH OVERALL INSIDE	15'6" (473 cm.) 9'6" (290 cm.)
BEAM OVERALL INSIDE	6'3" (190 cm.) 3' (90 cm.)
STOWED BOAT	5' x 2'4" x 1'2" 152 x 71 x 36 cm.
STOWED FLOOR	3'7" x 2'5" x 6" 109 x 73 x 15 cm.
TUBE DIAMETER	20" (50 cm.)
WEIGHT	240 lbs. (109 kg.)
LOADING CAPACITY	2,750 lbs. (1,250 kg.)
PERSON CAPACITY	8
RECOMMENDED H.P.	35 (9.9-55) Standard shaft
NO. OF AIR CHAMBERS	5 plus air keel
COLOR	Red, Grey

SPORT ECONOMY (SE) SERIES

Our SE series boats are built to be the most convenient, full-size inflatable sportboats on the market. They are lightweight for maximum portability while still providing the unsurpassed strength provided by our Hypalon[®]-reinforced nylon fabric. With two carry bags, one person can easily take these boats anywhere, but once inflated each SE boat carries up to five people and handles loads over 1,000 pounds. On the water, the performance is still vintage Achilles with superb sportboat handling and maneuverability.

You'll find all the major features Achilles sportboats are famous for packed into these versatile SE boats: inflatable "V" keel for better maneuverability; advanced oar system for easy rowing; full-length, locking floorboard system; and non-corrosive check valves for easy inflation and fast deflation.

Either as a large tender or all-around fun boat, Achilles SE Sportboats are a great value.



SE-11



Standard features include:
bow & stern lifting handles;
two carry bags; tube step guard;
fold-down, locking oar system with
two-piece aluminum oars; removable bow
spraydodger; high-volume foot pump; full-
length wooden floorboard system; large, non-
corrosive check valves; life/grab lines; helmsman grip;
maintenance kit.



	SE-11
LENGTH OVERALL INSIDE	11'0" (335 cm.) 7'1" (215 cm.)
BEAM OVERALL INSIDE	5'1" (155 cm.) 2'6" (75 cm.)
STOWED BOAT	3'7" x 1'11" x 1' 110 x 59 x 30 cm.
STOWED FLOOR	3'2" x 1'8" x 4" 96 x 50 x 10 cm.
TUBE DIAMETER	16" (40 cm.)
WEIGHT	105 lbs. (47.5 kg.)
LOADING CAPACITY	1,100 lbs. (500 kg.)
PERSON CAPACITY	5
RECOMMENDED H.P.	9.9 (6-15) Standard shaft
NO. OF AIR CHAMBERS	3 plus air keel
COLOR	Lt. Grey, Red, Blue
	SE-12
LENGTH OVERALL INSIDE	12'0" (365 cm.) 7'8" (232 cm.)
BEAM OVERALL INSIDE	5'1" (155 cm.) 2'6" (75 cm.)
STOWED BOAT	4' x 1'10" x 1' 123 x 55 x 30 cm.
STOWED FLOOR	3'3" x 1'10" x 5" 99 x 57 x 13 cm.
TUBE DIAMETER	16" (40 cm.)
WEIGHT	121 lbs. (55 kg.)
LOADING CAPACITY	1,190 lbs. (540 kg.)
PERSON CAPACITY	5
RECOMMENDED H.P.	15 (4-25) Standard shaft
NO. OF AIR CHAMBERS	4 plus air keel
COLOR	Lt. Grey, Red, Blue



HARD BOTTOM (HB) SPORT TENDER SERIES

The best of both worlds! Our HB boats combine the safety, stability and portability of an inflatable with the performance of a deep "V" rigid hull boat. The easily deflatable tubes – made with the same tough Hypalon®-reinforced fabric as all our boats – make these boats easy to store and transport, while their advanced fiberglass hulls provide a smooth, maneuverable ride, even in choppy waters.

Choose from two distinct models – the compact, square-bowed HB-90 which offers the cargo space of our 10-foot inflatable, or the sporty HB-100 with its sleek tube design for a fast, dry ride. Both have a host of Achilles quality features including a fiberglass transom, removable seats, fold-down, locking oar system and removable bow spraydodger. Both also have three air chambers making them extremely buoyant and virtually unsinkable.



Terrific tenders, sporty runabouts – Achilles HB boats offer the best Rigid Inflatable Boat (RIB) option for recreational boaters.



HB-90

Standard features include: layered, deep "V" fiberglass hull; square bow design; fold-down, locking oar system with two-piece aluminum oars; lifting handles; removable bow spraydodger; removable wood seat; hinged fiberglass transom; bailer valve; life-lines; non-corrosive, double-capped valves; complete rubbing strip; multiple air chambers; high-volume foot pump; maintenance kit.





HB-100

Standard features include:
 layered, deep "V" fiberglass hull; diminished bow tube design; davit lifting rings; fiberglass transom; fold-down, locking oar system with two-piece aluminum oars; removable bow spraydodger; buoyancy tube step guards; lifting handles; recessed inflation valves; removable wood rowing seat; multiple air chambers; bailer valve; lifelines; complete rubbing strip; high-volume foot pump; maintenance kit.

	HB-90
LENGTH OVERALL	8'10" (270 cm.)
INSIDE	6'8" (203 cm.)
BEAM OVERALL	4'9" (145 cm.)
INSIDE	2'6" (75 cm.)
TUBE DIAMETER	14" (35 cm.)
WEIGHT	85 lbs. (38.5 kg.)
LOADING CAPACITY	750 lbs. (340 kg.)
PERSON CAPACITY	3
MAXIMUM H.P.	8.0 Standard shaft
NO. OF AIR CHAMBERS	3
COLOR	Blue or Lt. Grey
	HB-100
LENGTH OVERALL	10'2" (310 cm.)
INSIDE	7'7" (230 cm.)
BEAM OVERALL	4'11" (150 cm.)
INSIDE	2'5" (74 cm.)
TUBE DIAMETER	15.0" (38 cm.)
WEIGHT	112 lbs. (51 kg.)
LOADING CAPACITY	920 lbs. (420 kg.)
PERSON CAPACITY	4
MAXIMUM H.P.	9.9 Standard shaft
NO. OF AIR CHAMBERS	3
COLOR	Blue or Lt. Grey

GRAND TENDER (GT) SERIES

The luxury tender that's much more than a tender! In addition to being roomy, reliable support boats, GT boats are packed with our top sportboat features making them as fun as they are practical. So these sport tenders are as exciting as they look with their distinctive red and grey color combination.

Achilles GT boats are the smallest inflatables on the market with aluminum floorboards as standard equipment. Non-corrosive and maintenance-free, these sturdy floor systems provide superior traction and resist damage from gasoline or the elements. Large tube diameters permit large carrying capacities and the square bow design allows more storage space. The fiberglass transoms provide low maintenance and maximum strength.


Our GRAND Tenders really live up to their name!



GT-11




Standard features include: square bow design; large tube diameter; aluminum self-locking floor system; lacing cuff to attach steering system; lifelines; carry handles for easy launching/lifting; fold-down, locking oar system with two-piece aluminum oars; inflatable rowing seat; removable bow spraydodger; fiberglass transom; carry bag; high-volume foot pump; maintenance kit.





	GT-10
LENGTH OVERALL INSIDE	10'2" (310 cm.) 7'6" (228 cm.)
BEAM OVERALL INSIDE	4'10" (146 cm.) 2'4" (70 cm.)
STOWED BOAT	3'7" x 1'11" x 1'2" 110 x 59 x 35 cm.
TUBE DIAMETER	15" (38 cm.)
WEIGHT	110 lbs. (50 kg.)
LOADING CAPACITY	1,030 lbs. (470 kg.)
PERSON CAPACITY	4
MAXIMUM H.P.	9.9 Standard shaft
NO. OF AIR CHAMBERS	3 plus air keel
COLOR	Red/Grey
	GT-11
LENGTH OVERALL INSIDE	11'0" (335 cm.) 8'1" (245 cm.)
BEAM OVERALL INSIDE	5'0" (152 cm.) 2'5" (72 cm.)
STOWED BOAT	3'10" x 1'11" x 1'11" 116 x 58 x 34 cm.
STOWED FLOOR	2'11" x 1'11" x 5" 89 x 59 x 11.5 cm.
TUBE DIAMETER	16" (40 cm.)
WEIGHT	122 lbs. (55.5 kg.)
LOADING CAPACITY	1,280 lbs. (580 kg.)
PERSON CAPACITY	5
MAXIMUM H.P.	20 Standard shaft
NO. OF AIR CHAMBERS	3 plus air keel
COLOR	Red/Grey, Green/Black



SPORT DINGHY (SPD) SERIES

The most popular Achilles boats ever made! Our classic SPD-FL series, celebrating its 10th anniversary in 1989, has become a favorite among serious boaters for its practicality and reliability. These steady tenders were joined by our SPD-AD models several years ago for boaters seeking more sporty features in addition to the basic elements which have made the SPD series so popular.

Both SPD series offer the important features you need in a reliable tender as standard equipment: removable rowing thwart and wooden seat for flexible, comfortable seating; our famous oar system for easy rowing; towing bridles for efficient towing; and rubbing strips to protect larger boats. Plus the AD series has an extra heavy-duty fabric – the same as our high performance sportboats – fiberglass transom and aluminum floorboard battens.

Achilles Sport Dinghies – proven reliable over the years by people whose safety and comfort depend on it!

SPD-4AD



Standard features include:
wooden, self-locking floorboard system with aluminum battens; fiberglass transom with motor pad; velcro-attached wood seat; inflatable rowing thwart seat; removable bow spraydodger; fold-down, locking oar system with two-piece aluminum oars; large, non-corrosive check valves; high-speed helmsman's grip; lift & carry handles; towing bridle; carry bag; "no-mar" rubbing strip; high-volume foot pump; deluxe maintenance kit.





SPD-4FL



Standard features include: wooden, self-locking floor-board system; wood transom with motor pad; velcro-attached wood seat; inflatable rowing thwart seat; removable bow spraydodger; fold-down; locking oar system with two-piece aluminum oars; large, non-corrosive check valves; high-speed helmsman's grip; lift & carry handles; towing bridle; carry bag; high-volume foot pump; rubbing strip; maintenance kit.

	SPD-2AD
LENGTH OVERALL INSIDE	8'4" (255 cm.) 5'5" (164 cm.)
BEAM OVERALL INSIDE	4'5" (135 cm.) 2'2" (65 cm.)
STOWED BOAT	3'5" x 2' x 1' 104 x 60 x 31 cm.
TUBE DIAMETER	14" (35 cm.)
WEIGHT	75 lbs. (34 kg.)
LOADING CAPACITY	660 lbs. (300 kg.)
PERSON CAPACITY	2/3
MAXIMUM H.P.	6.0 Standard shaft
NO. OF AIR CHAMBERS	2 plus air keel
COLOR	Blue or Grey

	SPD-4AD
LENGTH OVERALL INSIDE	10'2" (310 cm.) 6'10" (207 cm.)
BEAM OVERALL INSIDE	4'9" (145 cm.) 2'3" (69 cm.)
STOWED BOAT	3'10" x 1'10" x 1' 117 x 57 x 31 cm.
TUBE DIAMETER	15.0" (38 cm.)
WEIGHT	95 lbs. (43 kg.)
LOADING CAPACITY	990 lbs. (450 kg.)
PERSON CAPACITY	4
MAXIMUM H.P.	9.9 Standard shaft
NO. OF AIR CHAMBERS	3 plus air keel
COLOR	Blue or Grey

	SPD-2FL
LENGTH OVERALL INSIDE	8'4" (255 cm.) 5'5" (164 cm.)
BEAM OVERALL INSIDE	4'5" (135 cm.) 2'2" (65 cm.)
STOWED BOAT	3'4" x 2' x 11" 102 x 60 x 28 cm.
TUBE DIAMETER	14" (35 cm.)
WEIGHT	70 lbs. (31.5 kg.)
LOADING CAPACITY	660 lbs. (300 kg.)
PERSON CAPACITY	2/3
MAXIMUM H.P.	6.0 Standard shaft
NO. OF AIR CHAMBERS	2 plus air keel
COLOR	Lt. Grey

	SPD-4FL
LENGTH OVERALL INSIDE	10'2" (310 cm.) 6'10" (207 cm.)
BEAM OVERALL INSIDE	4'9" (145 cm.) 2'3" (69 cm.)
STOWED BOAT	3'7" x 1'10" x 11" 110 x 57 x 29 cm.
TUBE DIAMETER	15.0" (38 cm.)
WEIGHT	85 lbs. (39.5 kg.)
LOADING CAPACITY	1,010 lbs. (460 kg.)
PERSON CAPACITY	4
MAXIMUM H.P.	8.0 Standard shaft
NO. OF AIR CHAMBERS	3 plus air keel
COLOR	Lt. Grey or Red

	SPD-5FL
LENGTH OVERALL INSIDE	10'11" (332 cm.) 7'3" (221 cm.)
BEAM OVERALL INSIDE	5'0" (152 cm.) 2'4" (72 cm.)
STOWED BOAT	3'10" x 1'11" x 1'1" 116 x 58 x 33 cm.
TUBE DIAMETER	16" (40 cm.)
WEIGHT	100 lbs. (46 kg.)
LOADING CAPACITY	1,170 lbs. (530 kg.)
PERSON CAPACITY	5
MAXIMUM H.P.	9.9 Standard shaft
NO. OF AIR CHAMBERS	3 plus air keel
COLOR	Lt. Grey

LIGHT SPORT (LS) DINGHY SERIES

Proportionately larger tube diameters make these sport dinghies more compact without sacrificing load capacity. So they're dependable, hard-working tenders for small and medium-sized boats. Their larger tubes and multiple air chambers also make them exceptionally safe, stable boats that families can take anywhere. And their extra stability makes them great for fishing or hunting.

Like all Achilles boats, their Hypalon®-reinforced fabric makes them exceptionally tough. Built with safety and hard-work in mind, an air keel and full-length floorboards still allow for great handling. Their square bow design affords extra room. And naturally, the advanced Achilles rowing system – secured oars, fold-up oarlocks, inflatable rowing seat – makes rowing easy and comfortable.


If you're looking for a safe, reliable and hard-working boat to use as a tender or family fun boat, look no further!



LS-4



Standard features include: full-length wooden floorboards; inflatable keel; wooden transom with motor pad; inflatable seat; safety lines; towing bridle; fold-down, locking oar system with two-piece aluminum oars; carry bag; large, non-corrosive check valves; bailer valve; high-volume foot pump; "no-mar" rubbing strip; maintenance kit.



	LS-2
LENGTH OVERALL	7'6" (228 cm.)
INSIDE	5'2" (156 cm.)
BEAM OVERALL	4'4" (132 cm.)
INSIDE	2'0" (62 cm.)
STOWED BOAT	3'3" x 1'10" x 10" 98 x 55 x 25 cm.
TUBE DIAMETER	14" (35 cm.)
WEIGHT	56 lbs. (25.5 kg.)
LOADING CAPACITY	640 lbs. (290 kg.)
PERSON CAPACITY	2
MAXIMUM H.P.	3.5 Standard shaft
NO. OF AIR CHAMBERS	2 plus air keel
COLOR	Red or Blue
	LS-4
LENGTH OVERALL	8'6" (260 cm.)
INSIDE	6'1" (185 cm.)
BEAM OVERALL	4'8" (142 cm.)
INSIDE	2'2" (66 cm.)
STOWED BOAT	3'5" x 1'10" x 10" 103 x 55 x 26 cm.
TUBE DIAMETER	15" (38 cm.)
WEIGHT	67 lbs. (30.5 kg.)
LOADING CAPACITY	860 lbs. (390 kg.)
PERSON CAPACITY	4
MAXIMUM H.P.	6 Standard shaft
NO. OF AIR CHAMBERS	2 plus air keel
COLOR	Red or Blue
	LS-4GX
LENGTH OVERALL	9'6" (290 cm.)
INSIDE	6'9" (205 cm.)
BEAM OVERALL	4'8" (142 cm.)
INSIDE	2'2" (66 cm.)
STOWED BOAT	3'3" x 2' x 1' 100 x 60 x 30 cm.
TUBE DIAMETER	15" (38 cm.)
WEIGHT	73 lbs. (33 kg.)
LOADING CAPACITY	950 lbs. (430 kg.)
PERSON CAPACITY	4
MAXIMUM H.P.	8 Standard shaft
NO. OF AIR CHAMBERS	3 plus air keel
COLOR	Red or Blue

LIGHT SPORT ROLLUP (LSR) SERIES

Take the great features of our Light Sport boats, add the convenience of a rollup floor and you have our popular LSR series. We've answered the demand for a safe, practical and roomy tender for smaller boats where space is at a premium. We've also created the ideal boat for active families since LSR boats fold flat and fit easily in campers, trailers or even car trunks. These tough, compact models assemble and deflate in minutes and can't be beat for ease in storing or transporting.

Multiple air chambers, wide tube diameters and tough, Hypalon[®]-reinforced fabric combine safety with convenience on these sturdy boats. The fold-down, locking Achilles oar system and built-in wooden seat make rowing easy. And even with their rollup floor systems, they still offer substantial load capacities.

If you're looking for a roomy, practical tender for your smaller power or sailboat, or for a safe family fun boat that goes anywhere easily, the LSR is for you!



LSR-4



Standard features include:
rollup wood floor; wood transom with motor pad; fold-down, locking oar system and two-piece aluminum oars; built-in wood rowing seat; full-length rubbing strip; large, non-corrosive check valves; bow towing ring; carry bag; high-volume foot pump; safety lines; maintenance kit.



	LSR-2
LENGTH OVERALL	7'6" (228 cm.)
INSIDE	5'2" (153 cm.)
BEAM OVERALL	4'5" (135 cm.)
INSIDE	2'2" (65 cm.)
STOWED BOAT	3'7" x 1'8" x 10" 110 x 50 x 24 cm.
TUBE DIAMETER	14" (35 cm.)
WEIGHT	44 lbs. (20 kg.)
LOADING CAPACITY	640 lbs. (290 kg.)
PERSON CAPACITY	2
MAXIMUM H.P.	3.5 Standard shaft
NO. OF AIR CHAMBERS	2 (with roll up floor)
COLOR	Red
	LSR-4
LENGTH OVERALL	9'0" (275 cm.)
INSIDE	6'3" (190 cm.)
BEAM OVERALL	4'9" (145 cm.)
INSIDE	2'3" (69 cm.)
STOWED BOAT	3'11" x 1'10" x 11" 120 x 55 x 27 cm.
TUBE DIAMETER	15" (38 cm.)
WEIGHT	51 lbs. (23 kg.)
LOADING CAPACITY	900 lbs. (410 kg.)
PERSON CAPACITY	4
MAXIMUM H.P.	4 Standard shaft
NO. OF AIR CHAMBERS	2 (with roll up floor)
COLOR	Red

LIGHT TENDER (LT) & LIGHT TENDER DELUXE (LT-DX)

Our LT-DX series answers the demand for economy and convenience in a tender that still provides peace-of-mind. Built tough with the same demanding safety requirements of all Achilles boats, these sturdy dinghies offer the convenience of a rollup, wood floor with the durability of a tough, Hypalon®-reinforced fabric. Our smallest and most economical model, the LT-2, with fold-up wood floorboards, has the same tough fabric and offers the same limited, five-year warranty as all Achilles boats. Proof that we take quality seriously in all our boats.


All LT and LT-DX boats offer the ultimate in practical rowing convenience with the Achilles oar system. Oars fold down and lock out of the way when not in use. When rowing, two-piece aluminum oars are capped in place to avoid any risk of losing them. Wood rowing seats are standard. For safety, all LT series dinghies have at least two separate air chambers.

Lightweight wonders that store virtually anywhere without sacrificing anything in terms of safety – LT boats are the best value you'll find in an economical dinghy.



LT-4DX

Standard features include: wood rollup floor; built-in wood seat; motor mount; fold-down, locking oar system and two-piece aluminum oars; safety lines; large, non-corrosive check valves; towing bridle; full-length rubbing strip; carry bag; high-volume foot pump; maintenance kit.



DINGHY SERIES


LT & LT-DX



LT-2



Standard features include: wood floorboards; built-in wood rowing seat; full-length rubbing strip; fold-down, locking oar system and two-piece aluminum oars; motor mount fixtures; carry bag; safety lines; towing ring; high-volume foot pump; maintenance kit.



Achilles LT-2 motor mount is optional.

	LT-2
LENGTH OVERALL	7'1" (215 cm.)
INSIDE	5'3" (159 cm.)
BEAM OVERALL	4'0" (120 cm.)
INSIDE	2'0" (60 cm.)
STOWED BOAT	2'7" x 1'6" x 9" 79 x 46 x 24 cm.
TUBE DIAMETER	12" (30 cm.)
WEIGHT	36 lbs. (16.5 kg.)
LOADING CAPACITY	550 lbs. (250 kg.)
PERSON CAPACITY	2
MAXIMUM H.P.	2 Standard shaft
NO. OF AIR CHAMBERS	2
COLOR	Red
	LT-3DX
LENGTH OVERALL	8'4" (255 cm.)
INSIDE	6'3" (191 cm.)
BEAM OVERALL	4'1" (125 cm.)
INSIDE	2'0" (61 cm.)
STOWED BOAT	3'2" x 1'6" x 1' 97 x 47 x 30 cm.
TUBE DIAMETER	13" (32 cm.)
WEIGHT	43 lbs. (19.5 kg.)
LOADING CAPACITY	700 lbs. (320 kg.)
PERSON CAPACITY	3
MAXIMUM H.P.	3.5 Standard shaft
NO. OF AIR CHAMBERS	2 (with roll up floor)
COLOR	Blue
	LT-4DX
LENGTH OVERALL	9'0" (275 cm.)
INSIDE	6'9" (205 cm.)
BEAM OVERALL	4'7" (140 cm.)
INSIDE	2'3" (68 cm.)
STOWED BOAT	3'6" x 1'8" x 1' 106 x 50 x 30 cm.
TUBE DIAMETER	14.2" (36 cm.)
WEIGHT	51 lbs. (23 kg.)
LOADING CAPACITY	950 lbs. (430 kg.)
PERSON CAPACITY	4
MAXIMUM H.P.	4 Standard shaft
NO. OF AIR CHAMBERS	2 (with roll up floor)
COLOR	Blue

SPORT HEAVY-DUTY (SH) & SPORT UTILITY (SU) BOATS

Both SH and SU boats are built tough to work hard for rugged private and commercial use. SH boats offer the same functional design and superior sportboat performance as our popular SD recreational sportboat series, but are built with an additional heavy-duty layer of 840-denier nylon fabric to essentially double their fabric strength. This same two-ply technique, which results in a core fabric actually stronger than a single base fabric of equal thickness, is used on our SU boats. These boats are designed from the start to be tough, durable work and utility boats.

The features found on SH and SU boats combine to offer the inherent advantages of an inflatable with the requirements of tough, commercial use. Non-slip, aluminum floorboards and fiberglass transoms are standard on both series. Deep "V" inflatable keels allow for maximum maneuverability with heavy loads under all kinds of conditions. The square bow design of the SU translates into extra space for gear and equipment. And, naturally, both feature the exterior strength of Hypalon[®] to resist damage from gasoline, oil, abrasions and other hazards of industrial use.


If your needs run to commercial or rugged personal use, choose the boats selected by commercial users the world over for their strength, durability and reliability.



SH-156

Steering system, wood bow deck and wood seat shown are optional.

Standard features include:
double (840 denier each)
nylon core fabric; aluminum self-
locking floorboard system; bow carry
handles; bow lift handle; full-length splash
guard; self-bailer valves; full-length rubbing
strip; non-corrosive inflation valves; removable
bow spraydodger; two carry bags; fiberglass tran-
som with motor pad; lifelines; high-volume foot pump;
maintenance kit.





	SH-156	SH-170
LENGTH OVERALL INSIDE	15'6" (473 cm.) 9'6" (290 cm.)	17'0" (518 cm.) 10'6" (320 cm.)
BEAM OVERALL INSIDE	6'3" (190 cm.) 2'11" (90 cm.)	6'11" (210 cm.) 3'3" (100 cm.)
STOWED BOAT	5' x 2'4" x 1'2" 152 x 71 x 36 cm.	5'4" x 2'7" x 1'5" 162 x 79 x 42 cm.
STOWED FLOOR	3'7" x 2'6" x 8" 110 x 75 x 19 cm.	4' x 2'10" x 8" 122 x 86 x 19 cm.
TUBE DIAMETER	20" (50 cm.)	22.0" (55 cm.)
WEIGHT	275 lbs. (125 kg.)	340 lbs. (155 kg.)
LOADING CAPACITY	2,710 lbs. (1,230 kg.)	3,590 lbs. (1,630 kg.)
PERSON CAPACITY	8	10
RECOMMENDED H.P.	35 (9.9-55) Standard shaft	40 (20-65) Long shaft
NO. OF AIR CHAMBERS	5 plus air keel	5 plus air keel
COLOR	Grey	Grey



	SU-18
LENGTH OVERALL INSIDE	18'0" (549 cm.) 12'0" (366 cm.)
BEAM OVERALL INSIDE	7'7" (230 cm.) 3'7" (110 cm.)
STOWED BOAT	6'4" x 3'4" x 1'7" 192 x 102 x 48 cm.
STOWED FLOOR	4'4" x 3'1" x 8" 133 x 95 x 19 cm.
TUBE DIAMETER	24.0" (60 cm.)
WEIGHT	400 lbs. (182.5 kg.)
LOADING CAPACITY	4,660 lbs. (2,120 kg.)
PERSON CAPACITY	15
RECOMMENDED H.P.	50 (25-90) Long shaft
NO. OF AIR CHAMBERS	5 plus air keel
COLOR	Grey or Red



	SU-16
LENGTH OVERALL INSIDE	16'0" (488 cm.) 10'10" (330 cm.)
BEAM OVERALL INSIDE	6'9" (206 cm.) 3'3" (100 cm.)
STOWED BOAT	5'8" x 2'10" x 1'4" 172 x 87 x 40 cm.
STOWED FLOOR	3'11" x 2'9" x 8" 120 x 85 x 19 cm.
TUBE DIAMETER	21.0" (53 cm.)
WEIGHT	360 lbs. (162.5 kg.)
LOADING CAPACITY	3,210 lbs. (1,460 kg.)
PERSON CAPACITY	10
RECOMMENDED H.P.	40 (20-75) Long shaft
NO. OF AIR CHAMBERS	5 plus air keel
COLOR	Grey or Red



SU-16

Standard features include: double (840 denier each) nylon core fabric; aluminum self-locking floorboard system, fiberglass transom reinforced with aluminum plate (exterior) and motor pad (interior); large, one-way self-bailer valve; extra-wide, heavy-duty, full-length rubbing strip; recessed aluminum inflation valves; removable bow spraydodger; six lifting handles; towing bridle; extra tie-down "D" rings; two high-volume foot pumps; heavy-duty safety line all around boat; maintenance kit.

Steering system shown is optional.

	SU-14 *
LENGTH OVERALL INSIDE	14'0" (425 cm.) 9'3" (282 cm.)
BEAM OVERALL INSIDE	5'10" (178 cm.) 2'8" (82 cm.)
STOWED BOAT	5'4" x 2'5" x 1'5" 162 x 74 x 42 cm.
STOWED FLOOR	3'4" x 2'5" x 8" 101 x 75 x 19 cm.
TUBE DIAMETER	19.0" (48 cm.)
WEIGHT	270 lbs. (123 kg.)
LOADING CAPACITY	2,090 lbs. (950 kg.)
PERSON CAPACITY	8
RECOMMENDED H.P.	30 (9.9-55) Long shaft
NO. OF AIR CHAMBERS	4 plus air keel
COLOR	Grey or Red

*Not available in U.S. or Canada.

ALSO FROM ACHILLES



RIVERBOATS

Achilles also produces a complete line of advanced riverboats with models for professional outfitters, serious river runners and recreational boaters. All loaded with features designed to help you get the most out of any whitewater experience. Brand new for 1989 is a 14' self-bailing model with a lace-in inflatable floor. Call or write for our riverboat catalog.

FOUL WEATHER GEAR


Good news for bad weather! Our growing line of stylish and technically advanced foul weather gear has more great products to choose from than ever before! All providing 100% waterproof protection and made with the latest fabric innovations. Our new AS-401 suit, AS-300 lightweight suits and AS-1000 jackets are the only foul weather options you'll find with a protective, water tight Hypalon® coating. Along with our popular AS-400 foul weather suits, they provide a full range of handsome and functional foul weather options. Call or write for our foul weather catalog.



INFLATABLE KAYAK

The most fun you'll ever have in whitewater! Achilles' new self-bailing inflatable Kayak makes it easy to get into whitewater boating. Stable, maneuverable and forgiving, Achilles kayaks can handle challenging rapids, waves or holes. Made with Hypalon® for durability and a removable inflatable floor for comfort and extra buoyancy, they are lightweight and compact enough to be easily backpacked... Call or write for more information.

ACCESSORIES




1.

2.

3.


Achilles quality shows in our superb selection of inflatable boat accessories. The right accessories will make your Achilles boat even more comfortable and functional. Check with your Achilles dealer regarding which accessories are right for your boat.

1. LAUNCHING WHEELS
2. BOAT COVER
3. AFT "SPOILER" FOR MOUNTING LIGHTS, ANTENNA, ROD HOLDERS, etc.
4. STAINLESS STEEL HALF PEDESTAL & FIBERGLASS STEERING CONSOLE WITH (OPTIONAL) WINDSCREEN
5. STAINLESS STEEL PEDESTAL & FIBERGLASS STEERING CONSOLE WITH (OPTIONAL) WINDSCREEN
6. ALUMINUM FLOORBOARDS
7. ROLL CONTROL DIVER'S TANK RACK



4.

5.




6.



7.

ACCESSORIES




A.




B.



C.



D.



E.




F.




R.



Q.



P.



G.




H.




I.




J.



K.



M.



L.


- A. DELUXE CUSTOM UPHOLSTERED SEAT WITH STORAGE
- B. INFLATABLE SEAT WITH BACKREST
- C. MULTIPOSITIONAL FORMED FOLDING SEAT
- D. DELUXE DINGHY MOTOR MOUNT
- E. WOOD BOW DECK
- F. SUN CANOPY
- G. ACHILLES SPORT BAG
- H. FOLDING LADDER
- I. INFLATABLE THWART SEAT
- J. BOW HOLDALL
- K. CARPET (GREY, BLUE, RED)
- L. GLUE-ON LIGHTS
- M. BELOW-SEAT HOLDALL
- N. FISHING POLE HOLDER AND SNAP DAVITS
- O. GLUE-ON REGISTRATION/NAME KIT
- P. DIAL AND PENCIL PRESSURE GAUGES
- Q. "D" RINGS, BOW RINGS AND SAFETY/LIFT HANDLES
- R. TELEFLEX STEERING SYSTEM
- S. STAINLESS STEEL CROSSBAR STEERING SYSTEM WITH (OPTIONAL) WIND SCREEN
- T. DELUXE BACK-TO-BACK SEATS WITH STORAGE

One-year limited warranty on all Achilles parts and accessories.



N.

The specifications of Achilles boats, equipment and accessories may change without notice.



AUTHORIZED DEALER

ACHILLES INFLATABLE CRAFT
Division of KOHKOKU USA, INC.

Eastern Sales Office

P.O. Box 517
355 Murray Hill Parkway
East Rutherford, New Jersey 07073
Phone: (201) 438-6400
Fax: (201) 438-2618

Western Sales Offices

P.O. Box 2287	10230 Norwalk Blvd.
1407 80th Street, S.W.	Santa Fe Springs, California 90670
Everett, Washington 98204	Phone: (213) 944-4560
Phone: (206) 353-7000	Fax: (213) 946-0511
Fax: (206) 347-5785	

Achilles

Manufacturer Achilles Corporation
No. 22 Daikyo-Cho, Shinjuku-Ku, Tokyo 160
Phone: (03) 341-5111. Telex: J26556 ACHILLES
Fax: (03) 358-1194, (03) 351-6963