

Achilles



QUALITY INFLATABLE BOATS



Achilles Inflatable Boats are used by boaters around the world who demand quality and dependability because their safety and comfort depend on it. That is why Achilles is the first choice of more and more professionals - marine researchers, rescue teams, commercial fishermen, professional divers - who know they cannot find a better designed, better constructed or better performing inflatable. And the Achilles boats that meet their high expectations are the same ones we make for recreational boaters.

At Achilles, every boat is designed to be the best in its class. From our smallest dinghy to our largest workboat, every Achilles boat is individually designed and equipped to fill a specific boating need. We do not mass produce factory boats, we develop people boats. So every Achilles boat has just two things in common. One is Hypalon®-reinforced fabric because our experience has shown us that this is the most durable inflatable boat fabric. The other is quality.

At Achilles, "quality" is not just a word, it's a commitment. And this commitment can be seen in each and every one of our 1994 models. Look closely. Compare inflatables. Talk to experts. You'll learn the over-all quality of an Achilles boat is unsurpassed. After that, you won't have to consider "which inflatable" is right for you, only "which Achilles."



"Close encounter with a gray whale." Courtesy of 'Mystique' Research Vessel



"Assisting in marine research." Courtesy of Cascadia Research



"West Shore, CT Fire Department" Photo by Ray Ortega, Harbor Marine Dingy Dock


ACHILLES INFLATABLES: MORE OF AN ADVANTAGE.

Inflatable boats deliver the best of boating. They are easier than traditional rigid hull boats to transport, store and launch. They are buoyant, stable and safe. Because they are lighter, they perform just as well with smaller motors. Smaller inflatables make better tenders because they won't mar the hulls of larger boats, store onboard easier, and bounce off collisions with docks. Larger inflatables provide all the sportboat excitement of rigid hull boats.

Achilles quality enhances all the advantages inflatable boats have to offer. They are designed to be both practical and exciting, so safety and performance are combined in every Achilles boat. Inflatable boats can do a lot, and Achilles inflatables do a lot more.



QUALITY



"Exploring off the coast of Alaska." Courtesy of 'Mystique' Research Vessel



"S.T.A.R. Rescue Team at work on the IOGP racing circuit."



"Keeping up with a great whale." Courtesy of Cascadia Research



"On a National Geographic Society expedition." Photo by Greg Marshall, National Geographic Society.

ACHILLES HARD BOTTOMS: THE BEST OF BOTH WORLDS.

Fiberglass-hulled inflatables combine all the safety, stability and practicality of a well-built inflatable with the high performance maneuverability of traditional rigid-hulled sportboats. At Achilles, we've taken hard bottom inflatable boat technology to a new level with our modern factory in Washington State. There, we design, test and produce fiberglass-hulled inflatable boats. The result is our exciting HB Series of hard bottom inflatables. Smaller HB models provide large boats with practical tenders which double as sporty fun boats. Our larger HB boats deliver all the sportboat excitement you want in a lighter package that is easier to get around and in and out of the water.

Enjoy the best of both worlds with an Achilles Hard Bottom Inflatable. It's the perfect boat for getting the most out of boating.



"Southold, NY Fire Department" Photos by Charles Zeller

ACHILLES
HB Series
Made in the USA


The more you know about inflatable boats, the more you will appreciate the commitment to quality at Achilles. This commitment can be seen in the meticulous attention to detail given to every feature on every Achilles boat. Once you have the chance to compare inflatables, you will be impressed with all the little "extra steps" we take to insure the highest level of quality in all our features. From convenience features like our unique fold-down oar system, to safety features such as double-taped seam construction, no detail has been overlooked in fitting our boats with the standard features that make them the best in their class. Our confidence in the quality of Achilles boats is backed by a full Five Year Warranty on both the fabric *and* the seams. And this applies to *all* our boats, not just our top-of-the-line models. That's because every one of our boats is designed to be the best.




QUALITY MEANS THE BEST FABRIC

The fabric is the single most important factor in an inflatable boat, and no one makes a tougher, more durable fabric than Achilles. We manufacture our own fabric, since this is the only way to guarantee consistent quality.

Every Achilles boat is made with a durable DuPont Hypalon® -reinforced fabric for the best possible resistance to damage from abrasions, oil, gasoline, warm salt water or ultraviolet rays. Hypalon is calendered over the exterior of a tough nylon or polyester core. Our standard line boats and heavy-duty line boats are distinguished by the relative weight and thickness (denier) of the core fabric. The inside of our core fabric is coated with two layers of Neoprene because this elastomer is extremely flexible and airtight. This guarantees that Achilles boats will remain fully inflated longer, even in extreme temperatures.




QUALITY MEANS SAFETY



Safety and quality go hand-in-hand, so we are always building more and better safety features into Achilles boats. This is why we overlap our seams a full inch and add seam tape both outside and inside for extra safety. No one reinforces their seams more thoroughly than Achilles.

More air chambers mean more safety, so you won't find a competing inflatable with more chambers than a comparable Achilles model. More often, you'll even discover that the Achilles will have at least one more air chamber.

The list of safety features on Achilles boats goes on and on. Our fiberglass and wood transoms are made to last. Our extra bow rings, safety grip handles, fuel tank fasteners and full-length rubbing strakes are standard on most models because they make for a more complete, safer boat. The Achilles bulkhead baffle system keeps our multiple air chambers completely sealed off from one another, while working to equalize air pressure between compartments. And the non-corrosive valves on all our boats are double-sealed for safety.



FEATURES

NO COMPROMISE IN QUALITY.


QUALITY MEANS THE BEST WARRANTY

We back our boats with an outstanding full five-year warranty on both fabric and air-holding seam construction. In addition, Achilles gives a one-year warranty on the transom and all attachments and accessories. All this is backed up by a network of warranty repair stations throughout the United States and Canada. We believe our commitment to quality does not end with just producing a great boat, it ends with keeping every Achilles owner satisfied.


FULL FIVE YEAR WARRANTY ON FABRIC AND SEAMS.

WE BACK OUR CLAIM TO HAVE THE BEST FABRIC AND CONSTRUCTION IN THE INDUSTRY WITH A STRONG WARRANTY COMMITMENT.

QUALITY MEANS CONVENIENCE



Achilles oars lock into place and fold out of the way when not in use.



We pride ourselves in making people boats that are as comfortable and easy to use and enjoy as possible. Our carefully designed oar system not only makes rowing easier, it also keeps oars locked out of the way when not in use. The unique Achilles fold-down oar system also includes two-piece aluminum oars which are locked in place so there is never any chance of losing one.

In addition to our convenient oar system, you will find standard seating in Achilles dinghies and tenders designed

to make them as comfortable as possible. Double carry bags for larger boats make them easier to transport.



Achilles boats deflate quickly and easily by removing the valve caps.

Our baffle system helps equalize air pressure between air chambers. Everything from the careful placement of lift and carry handles, towing rings and safety lines to complete maintenance kits and removable bow spraydodgers are the result of our ongoing commitment to producing a truly "user friendly" boat.

QUALITY MEANS THE BEST INVESTMENT

An investment in a well-built Achilles boat will save you time, money and worry over the long haul. That's because the best warranty is the one you never have to use, and Achilles' low incidence of warranty claims is testament to the quality and durability of Achilles boats. With any long-term investment, you should always look at past performance to estimate your potential return. Achilles' long history of reliability is the best guarantee you can have that you will enjoy years of problem-free performance from your inflatable.

QUALITY MEANS MORE....

....More Options

With Achilles you always have more options to choose from so you can find the boat that's just right for you.

....More Designs

Achilles offers more distinct inflatable designs because each series is designed individually to fill a specific purpose. We do not have a basic design which is simply adapted to different size boats.

....More Features

You'll find more detailed features like convenient carry handles, fuel tank tie-downs and extra bow rings across the Achilles line-up than you will with any other inflatables. Attention to detail is part of what makes Achilles boats so special.


HB-124 ULTRA SPORT

The name says it all for this brand new, feature-packed, hard bottom inflatable.

Ultra exciting, ultra comfortable, ultra handsome - the incredible HB-124 Ultra Sport is the sportiest rigid-hulled inflatable boat on the market. It comes standard with a host of luxury features like a great-sounding AudioVox marine stereo radio/cassette player; glove box with fold-down drink holders; running lights and dash lights; luxurious back-to-back seating for four people; tinted windshield; and much, much more.

But most importantly, it also provides ultra performance and a smooth comfortable ride, even when cutting through the water at 40 miles-per-hour. That's because its layered, deep "V" fiberglass hull, sophisticated steering system and unique design combine to raise hard-bottom inflatable handling to a new level.


Add in all the tremendous features of the Achilles HB-Sport line, and you've got the ultimate in both a sporty tender and a small high-performance sportboat. In short, it all adds up to an ultra-amazing breakthrough from Achilles!



HB-124 ULTRA SPORT

HB-124 Ultra Sport Standard

Features include: AudioVox marine stereo radio cassette player; fore and aft running lights; horn; dash lights; fiberglass bow deck, back-to-back seating for four people, below-seat gas tank, tinted windshield, layered, deep "V" fiberglass hull and transom; roomy, square bow configuration; davit lifting points; bailer plug, full-length rubbing strake; paddle & paddle straps; towing eye-bolt with painter line; lacing cuff with life lines; large non-corrosive check valves; high-volume foot pump; deluxe maintenance kit; gas tank tiedown; steering wheel; steering cable; glove box with drink holder; transom anti-splash guard.




Approx. Performance: mph - 2 persons	
	9.9 hp 20 25 30 40
HB-124 Sport Max hp 40L	18 25 30 33 40

HB-124 ULTRA SPORT	
LENGTH OVERALL	12'4" (375 cm.)
INSIDE	9'6" (290 cm.)
BEAM OVERALL	5'4" (161 cm.)
INSIDE	2'6" (75 cm.)
TUBE DIAMETER	17" (43 cm.)
WEIGHT	280 lbs. (127 kg.)
LOADING CAPACITY	1,470 lbs. (670 kg.)
PERSON CAPACITY	4
MAXIMUM H.P.	40 Remote Long Shaft
NO. OF AIR CHAMBERS	4
COLOR	White
APPROX. ASSEMBLY TIME MIN.	20

HB SPORTS

The next generation of fiberglass-hulled inflatables has arrived! Our fully-equipped HB-110 and HB-124 Sports take fun sportboating to a new level. These exciting Sports dart through the water while handling like a dream. Their standard steering consoles make them easy - and fun - to drive. They also come equipped with a host of other special standard features like fiberglass bow deck, back-to-back seating for up to four people, below-seat gas tank, and tinted windshield.

If you own a large boat, you won't find a sporty tender that's more fun than the Achilles Sports. If you're looking for your first sportboat, here it is - fully equipped with everything you need; And remember, it's a hard-bottomed inflatable, so getting it around and taking care of it is a cinch. The Achilles HB Sports - fun boating on a higher plane.



ACHILLES
HB Series
Made in the USA



HB-124 SPORT



HB-110 SPORT

BACK TO BACK SEATING FOR FOUR PEOPLE

TINTED WIND SCREEN

FIBERGLASS BOW DECK

DEEP "V" FIBERGLASS HULL

HB Sport Standard Features include: fiberglass bow deck, back-to-back seating for four people, below-seat gas tank, tinted windshield, layered, deep "V" fiberglass hull and transom; roomy, square bow configuration; davit lifting points; bailer plug, full-length rubbing strake; paddle & paddle straps; towing eye-bolt with painter line; lacing cuff with life lines; large non-corrosive check valves; high-volume foot pump; deluxe maintenance kit; gas tank tiedown; steering wheel; steering cable; glove box with drink holder; transom anti-splash guard.

		Approx. Performance: mph - 2 persons					
		8 hp	9.9	20	25	30	40
HB-110 Sport	Max hp 30L	12	20	26	30	35	-
HB-124 Sport	Max hp 40L	-	18	25	30	33	40

HB-110 SPORT		
LENGTH	OVERALL	11'0" (335 cm.)
	INSIDE	8'4" (254 cm.)
BEAM	OVERALL	5'0" (152 cm.)
	INSIDE	2'5" (72 cm.)
TUBE DIAMETER		16" (40 cm.)
WEIGHT		245 lbs. (111 kg.)
LOADING CAPACITY		1,280 lbs. (580 kg.)
PERSON CAPACITY		4
MAXIMUM H.P.		30 Remote Long Shaft
NO. OF AIR CHAMBERS		3
COLOR		White
HB-124 SPORT		
LENGTH	OVERALL	12'4" (375 cm.)
	INSIDE	9'6" (290 cm.)
BEAM	OVERALL	5'4" (161 cm.)
	INSIDE	2'6" (75 cm.)
TUBE DIAMETER		17" (43 cm.)
WEIGHT		280 lbs. (127 kg.)
LOADING CAPACITY		1,470 lbs. (670 kg.)
PERSON CAPACITY		4
MAXIMUM H.P.		40 Remote Long Shaft
NO. OF AIR CHAMBERS		4
COLOR		White

HB SPORTS

The Achilles HB-124 and HB-140 rigid hull models are sensational sport-boats as well as terrific


tenders for larger boats. Their outstanding performance, combined with their roominess, make them great for waterskiing, diving or just speedboating. They are lighter than other sportboats, and launch quickly and easily. Plus they offer a horsepower to weight ratio that makes a very fuel-efficient package. Their stability, carrying capacities and fabric tubes (which won't mar other boats) make them unsurpassed tenders. Both are made in the USA and promise to be the class of the rigid hull market in 1994!



HYPALON®-REINFORCED FABRIC that is unsurpassed for air retention as well as durability.

LAYERED DEEP "V" FIBERGLASS HULL & TRANSOM for outstanding performance and maneuverability.

FULL-LENGTH SPLASH GUARD WITH LIFE LINES for dry, safe rides, even at high speeds.



HB-124

ROOMY, SQUARE BOW DESIGN for increased interior space without increased length overall.

FULL-LENGTH RUBBING STRAKE for extra protection from collisions with docks, rocks and other boats.



HB-140

HB-140 Standard features include: layered, deep "V" fiberglass hull and transom; roomy, square bow configuration; davit lifting points; bailer plug; full-length rubbing strake; paddle and paddle straps; towing eye-bolt with painter line; full-length splash guard with life lines; bow deck fitting points; large, non-corrosive check valves; high-volume, large foot pump; deluxe maintenance kit; transom anti-splash guard.

HB-124 Standard features include: layered, deep "V" fiberglass hull and transom; roomy, square bow configuration; davit lifting points; bailer plug; full-length rubbing strake; paddle and paddle straps; towing eye-bolt with painter line; full-length splash guard with life lines; bow deck fitting points; large, non-corrosive check valves; high-volume, large foot pump; deluxe maintenance kit; transom anti-splash guard.

ACHILLES HB Series

Made in the USA



HB-140 with Ultra Package



Approx. Performance: mph - 2 persons		9.9	20	25	30	40	55
HB-124	Max hp 25TL	18	23	28	-	-	-
HB-124	Max hp 35RL	18	25	30	32	-	-
HB-140	Max hp 40TL	12	18	20	23	33	-
HB-140	Max hp 55RL	12	18	22	25	35	40

		HB-124
LENGTH	OVERALL	12'4" (375 cm.)
	INSIDE	9'6" (290 cm.)
BEAM	OVERALL	5'4" (161 cm.)
	INSIDE	2'6" (75 cm.)
TUBE DIAMETER		17" (43 cm.)
WEIGHT		207 lbs. (94 kg.)
LOADING CAPACITY		1,470 lbs. (670 kg.)
PERSON CAPACITY		5
MAXIMUM H.P.		35 Remote, 25 Tiller Long Shaft
NO. OF AIR CHAMBERS		4
COLOR		Lt. Grey

		HB-140
LENGTH	OVERALL	14'0" (425 cm.)
	INSIDE	11'7" (353 cm.)
BEAM	OVERALL	5'9" (175 cm.)
	INSIDE	2'9" (85 cm.)
TUBE DIAMETER		18" (45 cm.)
WEIGHT		323 lbs. (147 kg.)
LOADING CAPACITY		1,960 lbs. (890 kg.)
PERSON CAPACITY		6
MAXIMUM H.P.		55 Remote, 40 Tiller Long Shaft
NO. OF AIR CHAMBERS		4
COLOR		Lt. Grey or White

HB ACCESSORIES

The ULTRA PACKAGE

Customize your Achilles Hard Bottom boat with a range of quality accessories designed to enhance the enjoyment of these exciting Made-in-the-USA models.



HB ULTRA ACCESSORIES The ultimate options for your Achilles Hard Bottom!

- A. ULTRA STEERING COLUMN WITH FORWARD SEAT (ACH650W)
- B. ULTRA BOW RAIL (ACH700W)
- C. ULTRA AFT SPOILER (ACH610W)
- D. ULTRA SEAT (ACH 540)

BOW SEAT CUSHION makes a comfortable seat for top of bow locker in HB boats. (ACH 900 for HB140; ACH910 for HB 124)




STAINLESS STEEL BENCH SEAT (ACH 800W)

UNIVERSAL AFT SPOILER (ACH 610)



STAINLESS STEEL COLLAPSIBLE BOW RAIL provides extra safety and convenient fitting points for HB-140 boats (ACH710)



FIBERGLASS STANDUP CONSOLE with FORWARD seat (ACH 650W)


FORWARD SEAT REPLACEMENT CUSHION (ACH 950)

HB STAINLESS STEEL AFT SPOILER custom-designed for HB-140 is ideal for mounting lights, antennas, etc. (ACH 615)

HB SPORTS

The best of both worlds! The "Made-in-the-USA" Achilles HB series combines the safety, stability and portability of an inflatable with the performance of a deep "V" rigid hull boat.

Achilles continues to break new ground in hard-bottom inflatable boat technology at our factory in Washington State, where we design, test and build only rigid hull inflatables. Achilles now produces eight exciting HB models, including the HB-90, HB-100 and HB-110 which make sporty tenders for any boat. Their light weight puts less strain on davit systems, and their soft sides lessen the possibility of any damage to yachts.



HYPALON®-REINFORCED TUBES for outstanding strength and durability.

LAYERED DEEP "V" FIBERGLASS HULL & TRANSOM for true rigid hull performance.

ROOMY, SQUARE BOW DESIGN for more interior space.

DAVIT LIFTING POINTS for adapting easily to davit systems.



FULL-LENGTH RUBBING STRAKE to prevent scrapes and abrasions.

HB-100

REMOVABLE WOOD SEAT AND ACHILLES FOLD-DOWN LOCKING OAR SYSTEM standard on HB-90 and HB-100 models only.



HB-90

HB-100 Standard Features include: layered, deep "V" fiberglass hull & transom; roomy, square bow configuration; davit lifting points; bailer plug; full-length rubbing strake; fold-down, locking oar system with two-piece breakdown aluminum oars & oar holders; towing eye-bolt with painter line; lift & carry handles; lacing cuff with life lines; removable wood rowing seat; removable bow spraydodger; large non-corrosive check valves; high-volume foot pump; deluxe maintenance kit; transom anti-splash guard.

HB-90 Standard Features include: layered, deep "V" fiberglass hull & transom; roomy, square bow configuration; bailer plug; full-length rubbing strake; fold-down, locking oar system with two-piece breakdown aluminum oars & oar holders; towing eye-bolt with painter line; lift & carry handles; life lines; removable wood rowing seat; removable bow spraydodger; large non-corrosive check valves; high-volume foot pump; deluxe maintenance kit.

ACHILLES HB Series

Made in the USA



		Approx. Performance: mph - 2 persons		
		8 hp	9.9	20
HB-90	Max hp 8S	14	-	-
HB-100	Max hp 9.9S	14	22	-
HB-110	Max hp 15T	12	20	-
HB-110	Max hp 20RL	12	20	26



HB-100



HB-110

HB-110 Standard Features include: layered, deep "V" fiberglass hull & transom; roomy, square bow configuration; davit lifting points; bailer plug; full-length rubbing strake; paddle & paddle straps; towing eye-bolt with painter line; lacing cuff with life lines; large non-corrosive check valves; high-volume foot pump; deluxe maintenance kit; transom anti-splash guard.


		HB-90	
LENGTH	OVERALL	8'10"	(270 cm.)
	INSIDE	6'8"	(203 cm.)
BEAM	OVERALL	4'9"	(145 cm.)
	INSIDE	2'6"	(75 cm.)
TUBE DIAMETER		14"	(35 cm.)
WEIGHT		85 lbs.	(38.5 kg.)
LOADING CAPACITY		750 lbs.	(340 kg.)
PERSON CAPACITY		3	
MAXIMUM H.P.		8.0 Standard shaft	
NO. OF AIR CHAMBERS		3	
COLOR		Lt. Grey or White	

		HB-100	
LENGTH	OVERALL	10'2"	(310 cm.)
	INSIDE	7'7"	(230 cm.)
BEAM	OVERALL	4'10"	(148 cm.)
	INSIDE	2'4"	(72 cm.)
TUBE DIAMETER		15"	(38 cm.)
WEIGHT		118 lbs.	(54 kg.)
LOADING CAPACITY		920 lbs.	(420 kg.)
PERSON CAPACITY		4	
MAXIMUM H.P.		9.9 Standard shaft	
NO. OF AIR CHAMBERS		3	
COLOR		Lt. Grey or White	

		HB-110	
LENGTH	OVERALL	11'0"	(335 cm.)
	INSIDE	8'4"	(254 cm.)
BEAM	OVERALL	5'0"	(152 cm.)
	INSIDE	2'5"	(72 cm.)
TUBE DIAMETER		16"	(40 cm.)
WEIGHT		165 lbs.	(75 kg.)
LOADING CAPACITY		1,280 lbs.	(580 kg.)
PERSON CAPACITY		5	
MAXIMUM H.P.		20 Remote, 15 Tiller Long Shaft	
NO. OF AIR CHAMBERS		3	
COLOR		White	

Our famous Sport Dinghy line continues to improve! The SPD-4AD and SPD-5AD are the best values in their class with a square bow configuration to allow for more interior space than other inflatables of the same overall length.

Achilles Sports Dinghies have been proven reliable over the years by people whose safety and comfort depend on them. Now they are even better than ever!




SPD-AD Features include: roomy, square bow configurations; air keel; self-locking floorboards with aluminum stringer system; fiberglass transom with protective motor clamp plate; self-bailer valve; full-length rubbing strake; fold-down locking oar system with two-piece breakdown aluminum oars & oar holders; lift and carry handles; bow carry handle; towing bridle; life lines; sidetube lacing cuff/splash guard; removable bow spraydodger; inflatable rowing thwart seat; slide-on wood seat; large, non-corrosive check valves; high-volume foot pump; carry bag, deluxe maintenance kit.



SPD-5AD

FRONT INFLATABLE ROWING SEAT for practical and comfortable rowing.



FIBERGLASS TRANSOM for longlasting transom strength.

ALUMINUM STRINGER SYSTEM to firmly secure locking wood floorboards in place.



SPD-AD



SPD-4AD


Approx. Performance: mph - 2 persons		5 hp	8	9.9	15
SPD-4AD	Max hp 9.9S	7	10	20	-
SPD-5AD	Max hp 15S	6	9	18	24

SPD-4AD		
LENGTH	OVERALL	9'8" (295 cm.)
	INSIDE	6'10" (208 cm.)
BEAM	OVERALL	4'10" (148 cm.)
	INSIDE	2'4" (72 cm.)
STOWED BOAT		3'10" x 1'10" x 1'1"
		116 x 55 x 32 cm.
TUBE DIAMETER		15" (38 cm.)
WEIGHT		87 lbs. (39.5 kg.)
LOADING CAPACITY		946 lbs. (430 kg.)
PERSON CAPACITY		4
MAXIMUM H.P.		9.9 Standard shaft
NO. OF AIR CHAMBERS		3 plus air keel
COLOR		Blue/Lt. Grey or White
APPROX. ASSEMBLY TIME (MIN)		10

SPD-5AD		
LENGTH	OVERALL	10'8" (325 cm.)
	INSIDE	7'7" (231 cm.)
BEAM	OVERALL	4'11" (150 cm.)
	INSIDE	2'4" (72 cm.)
STOWED BOAT		3'10" x 1'10" x 1'1"
		117 x 55 x 33 cm.
TUBE DIAMETER		15.4" (39 cm.)
WEIGHT		108 lbs. (49 kg.)
LOADING CAPACITY		1,078 lbs. (440 kg.)
PERSON CAPACITY		5
MAXIMUM H.P.		9.9 (4-15) Standard shaft
NO. OF AIR CHAMBERS		3 plus air keel
COLOR		Blue or Lt. Grey
APPROX. ASSEMBLY TIME (MIN)		10

Introduced in 1992 with just one model, our LX concept was so successful that it grew to three models in 1993 and now four great selections for 1994! In addition to a new 8'6" model, we've added a light grey color option to all four models for 1994. Now called the LEX (Light Sport Extra) Series, these boats continue to offer all the quality and features you would expect from more expensive boats. Like all Achilles boats, it offers Hypalon®-reinforced fabric plus a square bow design to maximize gear space, air keel and floorboards.

A great value for practical-minded boaters in 1994!



SELF-LOCKING WOOD FLOORBOARDS with STRINGER SYSTEM for a dependable floor.

ACHILLES FOLD-DOWN, LOCKING OAR SYSTEM and TWO-PIECE OARS make rowing as simple as possible.

FIXED WOOD TRANSOM protected by an aluminum motor clamp plate.



LEX-320



LEX-235



LEX-260

LEX Standard Features include: air keel; self-locking floorboards with plastic stringer system (aluminum stringers on LEX-320); fixed wood transom with protective motor clamp plate; self-bailer valve; full-length rubbing strake; fold-down locking oar system with two-piece breakdown aluminum oars and oar tie-downs; life lines with hand loops; removable wood rowing seat; large, non-corrosive check valves; high volume foot pump; carry bag; maintenance kit.

Approx. Performance: mph - 2 persons		3 hp	5	8	9.9
LEX-235	Max hp 5.5	5	7	-	-
LEX-260	Max hp 6.5	5	7	-	-
LEX-290	Max hp 8.5	-	6	12	-
LEX-320	Max hp 9.9S	-	5	10	20

LEX-235		
LENGTH	OVERALL	7'9" (235 cm.)
	INSIDE	5'4" (162 cm.)
BEAM	OVERALL	4'4" (132 cm.)
	INSIDE	2'1" (62 cm.)
STOWED BOAT		3'5" x 1'9" x 1'10" x 55 x 30 cm.
TUBE DIAMETER		14" (35 cm.)
WEIGHT		62 lbs. (28 kg.)
LOADING CAPACITY		550 lbs. (250 kg.)
PERSON CAPACITY		2
MAXIMUM H.P.		5 Standard shaft
NO. OF AIR CHAMBERS		2 plus air keel
COLOR		Lt. Blue or Lt. Gray
APPROX. ASSEMBLY TIME (MIN)		6

LEX-260		
LENGTH	OVERALL	8'6" (260 cm.)
	INSIDE	5'10" (179 cm.)
BEAM	OVERALL	4'8" (142 cm.)
	INSIDE	2'2" (66 cm.)
STOWED BOAT		3'9" x 2' x 9'5" x 114 x 61 x 24 cm.
TUBE DIAMETER		15" (38 cm.)
WEIGHT		68 lbs. (31 kg.)
LOADING CAPACITY		836 lbs. (380 kg.)
PERSON CAPACITY		4
MAXIMUM H.P.		6 Standard shaft
NO. OF AIR CHAMBERS		2 plus air keel
COLOR		Lt. Blue/Lt. Gray
APPROX. ASSEMBLY TIME (MIN)		6


LEX-290		
LENGTH	OVERALL	9'6" (290 cm.)
	INSIDE	6'9" (205 cm.)
BEAM	OVERALL	4'8" (142 cm.)
	INSIDE	2'2" (66 cm.)
STOWED BOAT		3'9" x 2' x 10' x 114 x 61 x 26 cm.
TUBE DIAMETER		15" (38 cm.)
WEIGHT		75 lbs. (34 kg.)
LOADING CAPACITY		924 lbs. (420 kg.)
PERSON CAPACITY		4
MAXIMUM H.P.		8.0 Standard shaft
NO. OF AIR CHAMBERS		2 plus air keel
COLOR		Lt. Blue/Lt. Gray
APPROX. ASSEMBLY TIME (MIN)		10

LEX-320		
LENGTH	OVERALL	10'6" (320 cm.)
	INSIDE	7'2" (219 cm.)
BEAM	OVERALL	4'11" (150 cm.)
	INSIDE	2'4" (72 cm.)
STOWED BOAT		3'9" x 1'9" x 1'2" x 114 x 53 x 35 cm.
TUBE DIAMETER		15.4" (39 cm.)
WEIGHT		89 lbs. (40 kg.)
LOADING CAPACITY		970 lbs. (440 kg.)
PERSON CAPACITY		5
MAXIMUM H.P.		9.9 Standard shaft
NO. OF AIR CHAMBERS		3 plus air keel
COLOR		Lt. Blue/Lt. Gray
APPROX. ASSEMBLY TIME (MIN)		10

Take the great features of our Light Sport boats, add the convenience of a rollup or inflatable floor

and you have our popular LSR and LSA boats. We've answered the demand for a safe, practical and roomy tender for smaller boats where space is at a premium. We've also created the ideal boat for active families since both boats fold flat and fit easily in campers, trailers or even car trunks. These tough, compact models assemble and deflate in minutes and can't be beat for ease in storing or transporting.

If you're looking for a roomy, practical tender for your smaller power or sailboat, or for a safe family fun boat that goes anywhere easily, these are for you!



LSR / LSA



LSR-4

LSR/LSA Standard Features include: rollup wood floor or inflatable floor; wood transom with protective motor clamp plate; self-bailing valve; full-length rubbing strake; fold-down locking oar system with two-piece breakdown aluminum oars & oar holders; bow carry handle; life lines removable wood rowing seat; large, non-corrosive check valves; high-volume foot pump; carry bag; maintenance kit.

BOW CARRY HANDLE makes it easy to carry when assembled.

FIXED WOOD ROWING SEAT positioned for easy rowing.



FOLD-DOWN, LOCKING OAR SYSTEM with TWO-PIECE ALUMINUM OARS keeps oars secured and out-of-the-way when not being used.

PROTECTIVE MOTOR PLATE protects the wood transom from motor clamps.

LSA-4



Approx. Performance: mph - 2 persons		
		3 hp
LSR-4	Max hp 4S	5
LSA-4	Max hp 4S	5

LSA-4		
LENGTH	OVERALL	9'6" (290 cm.)
	INSIDE	6'9" (205 cm.)
BEAM	OVERALL	4'8" (142 cm.)
	INSIDE	2'2" (66 cm.)
STOWED BOAT		3'7" x 2' x 10" 110 x 60 x 26 cm.
TUBE DIAMETER		15" (38 cm.)
WEIGHT		56 lbs. (25.5 kg.)
LOADING CAPACITY		990 lbs. (450 kg.)
PERSON CAPACITY		4
MAXIMUM H.P.		4 Standard shaft
NO. OF AIR CHAMBERS		2 plus inflatable floor
COLOR		Red & Lt. Grey
APPROX. ASSEMBLY TIME (MIN)		5

LSR-4		
LENGTH	OVERALL	9'6" (290 cm.)
	INSIDE	6'9" (205 cm.)
BEAM	OVERALL	4'8" (142 cm.)
	INSIDE	2'2" (66 cm.)
STOWED BOAT		3'5" x 1'8" x 10" 105 x 52 x 25 cm.
TUBE DIAMETER		15" (38 cm.)
WEIGHT		58 lbs. (26.5 kg.)
LOADING CAPACITY		913 lbs. (415 kg.)
PERSON CAPACITY		4
MAXIMUM H.P.		4 Standard shaft
NO. OF AIR CHAMBERS		2
COLOR		Red & Lt. Grey
APPROX. ASSEMBLY TIME (MIN)		5

Our most economical dinghies have been redesigned for 1994 to make them even more convenient and practical than ever before. But they're still made with the same tough Hypalon®-reinforced fabric as all our larger boats and backed by the same five-year warranty. Both the LT-2 and the LT-3 come with wood seats, fold-down oars, and floors. The LT-2 has a fold-up floor while the LT-3 features a rollup floor. These two lightweight wonders will store virtually anywhere without sacrificing anything in terms of safety. Achilles LT boats represent the best value you'll find in an economical dinghy.



LT-2

LT-2 Standard Features include: fold-up wood floor; full-length rubbing strake; fold-down locking oar system with two-piece breakdown aluminum oars & tiedowns; bow carry handle; life lines; fixed wood rowing seat; large, non-corrosive check valves; high-volume foot pump; carry bag; maintenance kit.

Motor mounts shown are optional.



LT-3


LT-3 Standard Features include: rollup wood floor; full-length rubbing strake; fold-down locking oar system with two-piece breakdown aluminum oars & tie-downs; towing bridle; life lines; fixed wood rowing seat; large, non-corrosive check valves; high-volume foot pump; carry bag; maintenance kit.



		LT-2
LENGTH	OVERALL	7'3" (220 cm.)
	INSIDE	4'4" (133 cm.)
BEAM	OVERALL	40" (124 cm.)
	INSIDE	1'11" (58 cm.)
STOWED BOAT		27" x 16" x 7" 79 x 46 x 22 cm.
TUBE DIAMETER		13" (33 cm.)
WEIGHT		40 lbs. (18 kg.)
LOADING CAPACITY		638 lbs. (290 kg.)
PERSON CAPACITY		2
MAXIMUM H.P.		2 Standard shaft
NO. OF AIR CHAMBERS		2
COLOR		Red or Lt. Grey
APPROX. ASSEMBLY TIME (MIN)		5

		LT-3
LENGTH	OVERALL	8'2" (250 cm.)
	INSIDE	6'1" (186 cm.)
BEAM	OVERALL	42" (128 cm.)
	INSIDE	2'0" (62 cm.)
STOWED BOAT		2'11" x 1'6" x 11" 89 x 47 x 27 cm.
TUBE DIAMETER		13" (33 cm.)
WEIGHT		44 lbs. (20 kg.)
LOADING CAPACITY		680 lbs. (310 kg.)
PERSON CAPACITY		3
MAXIMUM H.P.		2 Standard shaft
NO. OF AIR CHAMBERS		2
COLOR		Red or Lt. Grey
APPROX. ASSEMBLY TIME (MIN)		6

These "top-of-the-line" models continue to set the standard for inflatable sportboats. Built for high performance with deep "V" trigon air keel hulls, Achilles SG boats offer a host of features designed to make any sport-boating activity safe and comfortable as well as exciting. A roomy, square bow configuration provides room for extra gear, and an aluminum floor system delivers superior traction, rigidity and durability. Achilles SG sportboats bring performance and practicality together for better water skiing, diving, fishing or all-around sportboating pleasure!



ALUMINUM FLOOR-BOARDS AND STRINGER SYSTEM delivers the best combination of traction, rigidity and durability.

SQUARE BOW CONFIGURATION provides more interior space.

FULL-LENGTH "TEARDROP" RUBBING STRAKE protects the boat from scrapes and abrasions.



FIBERGLASS TRANSOM WITH PROTECTIVE MOTOR CLAMP PLATE for ultimate transom strength and durability.

PROTECTIVE MOTOR PLATE protects the wood transom from motor clamps.





SG-176

Inflatable thwart shown is an option.



SG-110



SG-140

SG Series Standard Features include: roomy square bow configuration; trigon air keel; aluminum self-locking floorboards with aluminum stringer system; fiberglass transom with protective motor clamp plate; fuel tank tie-downs; self-bailer valve; full-length tear-drop rubbing strake; fold-down locking oar system with two-piece break-down aluminum oars (except SG-156 & SG-176); bow carry handle; lift & carry handles; towing bridle; high-speed helmsman grip; life lines; full-length splash guard; snap-down transom splash guard; removable bow spraydodger; bow holdall fitting points; bow deck fitting points; (except SG-110) cushion seat fitting points; large, non-corrosive check valves; large, high-volume foot pump; double carry bag system; deluxe maintenance kit.

Approx. Performance: mph - 2 persons		9.9 hp					
		20	25	40	50	65	
SG-110	Max hp 20	18	24	-	-	-	
SG-124	Max hp 35	16	20	24	-	-	
SG-140	Max hp 50	15	18	22	28	32	
SG-156	Max hp 55	14	17	20	25	30	
SG-176	Max hp 65	8	12	15	20	24	

SG-110		
LENGTH	OVERALL	11'0" (335 cm.)
	INSIDE	8'1" (245 cm.)
BEAM	OVERALL	5'0" (152 cm.)
	INSIDE	2'5" (72 cm.)
STOWED BOAT		3'10" x 1'11" x 1'11" 116 x 58 x 34 cm.
STOWED FLOOR		2'11" x 1'11" x 5" 89 x 59 x 11.5 cm.
TUBE DIAMETER		16" (40 cm.)
WEIGHT		122 lbs. (55.5 kg.)
LOADING CAPACITY		1,280 lbs. (580 kg.)
PERSON CAPACITY		5
MAXIMUM H.P.		20 Standard shaft
NO. OF AIR CHAMBERS		3 plus air keel
COLOR		Lt. Grey
APPROX. ASSEMBLY TIME (MIN)		20

SG-124		
LENGTH	OVERALL	12'4" (375 cm.)
	INSIDE	8'11" (272 cm.)
BEAM	OVERALL	5'4" (161 cm.)
	INSIDE	2'6" (75 cm.)
STOWED BOAT		4'1" x 2'2" x 1'2" 125 x 67 x 36 cm.
STOWED FLOOR		3'1" x 2'2" x 6" 93 x 67 x 16 cm.
TUBE DIAMETER		17" (43 cm.)
WEIGHT		175 lbs. (79.5 kg.)
LOADING CAPACITY		1,470 lbs. (670 kg.)
PERSON CAPACITY		5
RECOMMENDED H.P.		20 (6-35) Standard shaft
NO. OF AIR CHAMBERS		4 plus air keel
COLOR		Black/Lt. Grey or Red
APPROX. ASSEMBLY TIME (MIN)		20

SG-140		
LENGTH	OVERALL	14'0" (425 cm.)
	INSIDE	10'0" (305 cm.)
BEAM	OVERALL	5'9" (175 cm.)
	INSIDE	2'9" (85 cm.)
STOWED BOAT		4'6" x 2'2" x 1'2" 137 x 67 x 36 cm.
STOWED FLOOR		3'5" x 2'6" x 8" 104 x 75 x 19 cm.
TUBE DIAMETER		18" (45 cm.)
WEIGHT		221 lbs. (100.5 kg.)
LOADING CAPACITY		1,960 lbs. (890 kg.)
PERSON CAPACITY		6
RECOMMENDED H.P.		30 (9.9-50) Long shaft
NO. OF AIR CHAMBERS		4 plus air keel
COLOR		Black/Lt. Grey or Red
APPROX. ASSEMBLY TIME (MIN)		25

SG-156		
LENGTH	OVERALL	15'6" (473 cm.)
	INSIDE	10'11" (333 cm.)
BEAM	OVERALL	6'3" (190 cm.)
	INSIDE	3' (90 cm.)
STOWED BOAT		5' x 2'4" x 1'2" 152 x 71 x 36 cm.
STOWED FLOOR		3'7" x 2'6" x 8" 110 x 76 x 19 cm.
TUBE DIAMETER		20" (50 cm.)
WEIGHT		264 lbs. (120 kg.)
LOADING CAPACITY		2,820 lbs. (1,280 kg.)
PERSON CAPACITY		8
RECOMMENDED H.P.		35 (9.9-55) Long shaft
NO. OF AIR CHAMBERS		5 plus air keel
COLOR		Black/Lt. Grey or Red
APPROX. ASSEMBLY TIME (MIN)		30

SG-176		
LENGTH	OVERALL	17'6" (535 cm.)
	INSIDE	12'4" (375 cm.)
BEAM	OVERALL	6'11" (210 cm.)
	INSIDE	3' 3" (100 cm.)
STOWED BOAT		5'5" x 2'7" x 1'2" 165 x 80 x 35 cm.
STOWED FLOOR		4' x 2'9" x 8" 122 x 85 x 19 cm.
TUBE DIAMETER		22" (55 cm.)
WEIGHT		308 lbs. (140 kg.)
LOADING CAPACITY		3,784 lbs. (1,720 kg.)
PERSON CAPACITY		10
RECOMMENDED H.P.		40 (20-60) Long shaft
NO. OF AIR CHAMBERS		5 plus air keel
COLOR		Red or Grey
APPROX. ASSEMBLY TIME (MIN)		35

Our SE boats are built to be the most convenient, full-size inflatable sportboats on the

market. Their square bow configuration allows for more interior space without increasing overall length, an important advantage for a tender or family fun boat. They are light weight for maximum portability while still providing the unsurpassed strength provided by our Hypalon®-reinforced polyester fabric. With two carry bags, one person can easily take these boats anywhere, but once inflated each SE boat carries over five people and handles heavy loads easily. On the water, the performance is still vintage Achilles with superb sportboat handling and maneuverability.

Either as large tender or all-around fun boat, Achilles SE Sportboats are a great value.



SE-13



SE-15

Approx. Performance: mph - 2 persons					
		9.9 hp	20	25	40
SE-12	Max hp	25	17	22	28
SE-13	Max hp	35	16	20	26
SE-15	Max hp	40	15	19	24

		SE-12
LENGTH	OVERALL	12'0" (365 cm.)
	INSIDE	8'10" (268 cm.)
BEAM	OVERALL	5'3" (160 cm.)
	INSIDE	2'6" (76 cm.)
STOWED BOAT		4'2" x 2' x 1' 128 x 60 x 30 cm.
STOWED FLOOR		3'1" x 2'2" x 5'5" 94 x 65 x 14 cm.
TUBE DIAMETER		17" (42 cm.)
WEIGHT		128 lbs. (58 kg.)
LOADING CAPACITY		1,386 lbs. (630 kg.)
PERSON CAPACITY		5
RECOMMENDED H.P.		15 (4-25) Standard shaft
NO. OF AIR CHAMBERS		4 plus air keel
COLOR		Red or Lt. Grey
APPROX. ASSEMBLY TIME (MIN)		20

		SE-13
LENGTH	OVERALL	13'2" (400 cm.)
	INSIDE	9'4" (284 cm.)
BEAM	OVERALL	5'9" (175 cm.)
	INSIDE	2'9" (85 cm.)
STOWED BOAT		4'3" x 2' x 1'2" 130 x 61 x 35 cm.
STOWED FLOOR		3'5" x 2'4" x 6' 105 x 72 x 15 cm.
TUBE DIAMETER		18" (45 cm.)
WEIGHT		158 lbs. (72 kg.)
LOADING CAPACITY		1,760 lbs. (800 kg.)
PERSON CAPACITY		6
RECOMMENDED H.P.		20 (6-35) Standard shaft
NO. OF AIR CHAMBERS		4 plus air keel
COLOR		Red or Lt. Grey
APPROX. ASSEMBLY TIME (MIN)		20

		SE-15
LENGTH	OVERALL	14'7" (445 cm.)
	INSIDE	10'6" (320 cm.)
BEAM	OVERALL	5'11" (181 cm.)
	INSIDE	2'9" (85 cm.)
STOWED BOAT		5'3" x 2'3" x 1'2" 159 x 68 x 35 cm.
STOWED FLOOR		3'5" x 2'6" x 5' 104 x 75 x 13 cm.
TUBE DIAMETER		19" (48 cm.)
WEIGHT		173 lbs. (78.5 kg.)
LOADING CAPACITY		2,220 lbs. (1,010 kg.)
PERSON CAPACITY		7
RECOMMENDED H.P.		30 (9.9-40) Long shaft
NO. OF AIR CHAMBERS		4 plus air keel
COLOR		Red or Lt. Grey
APPROX. ASSEMBLY TIME (MIN)		25

INTERIOR SAFETY LINE extra passenger safety.

HIGH-SPEED HELMSMAN GRIP

FOLD-DOWN LOCKING OAR SYSTEM with TWO-PIECE ALUMINUM OARS keeps oars securely fastened and out of the way when not in use.

PROTECTIVE MOTOR PLATE protects the wood transom from motor clamps.

SE Series Standard Features include: roomy square bow configuration; trigon air keel; self-locking wood floorboards with aluminum stringer system; fixed wood transom with protective motor clamp plate; fuel tank tie-downs; self-bailer valve; full-length rubbing strake; fold-down locking oar system with two-piece breakdown aluminum oarks & oar holders; bow carry handle; lift & carry handles; high-speed helmsman grip; life lines; side-tube lacing cuff/splash guard; transom splash guard, removable bow spraydodger; cushion seat fitting points; large, non-corrosive check valves; high-volume foot pump; double-carry bag system; deluxe maintenance kit, bottom transom protection plate.

ALUMINUM STRINGER SYSTEM locks wood floorboards securely in place.


SU boats are built tough to work hard for rugged private and commercial use. They are made with

an additional heavy-duty layer of 840-denier nylon fabric in a two-ply technique which results in a core fabric even stronger than a single base fabric of equal thickness. A number of exclusive features are built into these boats which combine to bring the advantages of an inflatable together with the demands of tough commercial marine use.

If your needs run to commercial or rugged personal use, choose the boats selected by commercial users and marine research groups the world over for their strength, durability and reliability.



SU-16



SU-18

5

EXTRA HEAVY DUTY

Approx. Performance: mph - 2 persons		20 hp	25	40	50	75	90
SU-16	Max hp 75L	12	15	20	24	34	-
SU-18	Max hp 90L	-	12	18	20	30	40


		SU-16
LENGTH	OVERALL	16'0" (488 cm.)
	INSIDE	10'10" (330 cm.)
BEAM	OVERALL	6'9" (206 cm.)
	INSIDE	3'3" (100 cm.)
STOWED BOAT		5'8" x 2' 10" x 1'4" 172 x 87 x 40 cm.
STOWED FLOOR		3'11" x 2'9" x 8" 120 X 85 X 19 cm.
TUBE DIAMETER		21.0" (53 cm.)
WEIGHT		360 lbs. (162.5 kg.)
LOADING CAPACITY		3,210 lbs. (1,460 kg.)
PERSON CAPACITY		10
RECOMMENDED H.P.		40 (20-75) Long shaft
NO. OF AIR CHAMBERS		5 plus air keel
COLOR		Grey or Red

		SU-18
LENGTH	OVERALL	18'0" (549 cm.)
	INSIDE	12'0" (366 cm.)
BEAM	OVERALL	7'7" (230 cm.)
	INSIDE	3'7" (110 cm.)
STOWED BOAT		6'4" x 3'4" x 10" x 17" 192 x 102 x 48 cm.
STOWED FLOOR		4'4" x 3'1" x 8" 133 X 95 X 19 cm.
TUBE DIAMETER		24.0" (60 cm.)
WEIGHT		400 lbs. (182.5 kg.)
LOADING CAPACITY		4,660 lbs. (2,120 kg.)
PERSON CAPACITY		15
RECOMMENDED H.P.		50 (25-90) Long shaft
NO. OF AIR CHAMBERS		5 plus air keel
COLOR		Grey or Red


Standard Features include: roomier bow configuration; toughest double (840 denier each) nylon core fabric; trigon air keel; aluminum self-locking floorboards & stringers system; fiberglass transom with aluminum plate (exterior) & motor pad (interior); fuel tank tie-down; large self-bailer (duck bill type); extra-wide, heavy-duty, full-length teardrop rubbing strake; tie-down straps for paddles; bow carry handle, towing bridle; lift & carry handles; splash guard with life lines; heavy-duty reinforcement cargo wear patch all around; extra tie-down D-rings; large non-corrosive recessed valves; two (2) high-volume large foot pumps; deluxe maintenance kits.

STEERING

A high quality Achilles steering system is a natural upgrade from tiller steering and makes it easier to control your boat.



FIBERGLASS STANDUP CONSOLE with windscreen and stainless steel grab rail. (ACH600W for HB 124 & 140; sportboats 14' or larger)



FIBERGLASS STANDUP CONSOLE WITH FORWARD SEAT, windscreen and stainless steel grab rail. (ACH 650W for HB-140 and 14' or larger sportboats)
REPLACEMENT SEAT CUSHION FOR FORWARD SEAT (ACH950)



STAINLESS STEEL FLOOR MOUNT pedestal steering system provides steering without restricting access about boat. (ACH450 for boats 14' and under)

ALL ACHILLES PARTS AND ACCESSORIES COME WITH A ONE-YEAR LIMITED WARRANTY

ACCESSORIES

Select the accessories to complete your Achilles boat.



BELOW SEAT HOLDALL keeps gear safe, dry and out of the way. (E735)



BOW HOLDALL attaches to bow "D" Rings to keep gear dry and secure. (SC138)



SUN CANOPY for protection from sun and rain. (IFS60W/66W)



UNIVERSAL STAINLESS STEEL AFT SPOILER for mounting lights, antennas, etc. (ACH610 for boats 14' or larger)




STAINLESS STEEL FOLDING LADDER protects easy access from water and stores easily. (ACH100)



FISHING POLE HOLDER quickly secures and releases poles. (C417/418/419)




PENCIL PRESSURE GAUGE monitors air pressure in tubes to help maintain optimum level of inflation (E132)



LAUNCHING WHEELS make launching a breeze virtually anywhere. 6" and 4" widths. (SC131/132)



FOOT PUMPS High Volume (C511); Bravo High Volume (C512); Small (C510)



OARLOCKS AND OAR HOLDERS keep oars secure and out of the way when not in use (Large DC424 & SC483A); Small (DC4124 & DC4123). ANCHOR ROPE GUIDE helps raise/lower anchor. (C33)




"D" RINGS, BOW RINGS and SAFETY/LIFT HANDLES help customize your boat to meet your specific needs. (D-Rings C411-414; Handle C421/422; Bow Handle C423)

SEATING

Select the seating option that's right for you and combine it with an Achilles steering system to increase the comfort and enjoyment of your Achilles inflatable or Hard-Bottom inflatable boat.

ACCESSORIES



INFLATABLE SEAT WITH BACKREST can be set up or removed quickly for seating flexibility. (SE 141/142/143)



MULTIPOSITIONAL FORMED FOLDING SEAT can be adjusted for custom comfort and removed easily to allow more space for gear. (HJB223)



STAINLESS STEEL CUSHIONED BENCH SEAT for two people has fold-down back and space underneath for fuel tank/battery, etc. (ACH801W)



BACK-TO-BACK STAINLESS STEEL CUSHIONED SEAT for four people with space underneath for fuel tank/battery, etc. (ACH820W)




FOLD-DOWN SINGLE BACK CUSHIONED SEAT for two people with fiberglass base and front pocket for storage. (ACH540)



DOUBLEBACK SEAT WITH FIBERGLASS BASE for four people with watertight front storage section plus pocket and rear storage section for fuel tank, etc. (ACH560)

ALSO FROM ACHILLES



RIVERBOATS

Achilles also produces a complete line of advanced riverboats with models for professional outfitters, serious river runners and recreational boaters. All loaded with features designed to help you get the most out of any whitewater experience, including a self-bailing series with a lace-in inflatable floor. Call or write for the Achilles Riverboat catalog.



INFLATABLE KAYAKS

The most fun you'll ever have in white-water! Achilles' inflatable kayaks make it easy to get into whitewater boating or calm water paddle sports. Stable, maneuverable and forgiving, Achilles kayaks can handle challenging rapids, waves or holes. Made with Hypalon® for durability and a removable inflatable floor for comfort and extra buoyancy, they are lightweight and compact enough to be easily backpacked...Call or write for more information.



FOUL WEATHER GEAR

Good news for bad weather! Our line of stylish and technically advanced foul weather gear has more great products to choose from than ever before! All providing 100% waterproof protection and made with the latest fabric innovations, including a Hypalon®-reinforced fabric! Call or write for the Achilles foul weather catalog.

The specifications of Achilles boats, equipment and accessories may change without notice.

All performance speeds are approximate and will vary depending on conditions such as payload, water conditions, propeller pitch, etc. Assembly times listed are based on an average of experienced owners. Initial assemblies by inexperienced owners may take longer.



Authorized Dealer

ACHILLES USA

1407 80th Street
Everett, WA 98203 U.S.A.
Phone: (206) 353-7000
Fax: (206) 347-5785

355 Murray Hill Parkway
East Rutherford, New Jersey 07073
Phone: (201) 438-6400
Fax: (201) 438-2618

10230 Norwalk Blvd.
Santa Fe Springs, California 90670
Phone: (310) 944-4560
Fax: (310) 946-0511

ACHILLES HONG KONG CO., LTD.

Block-A 5 fl. Winner Building
36 Man Yue Street
Hung Hom
Kowloon, Hong Kong
Phone: (852) 368-8324
Fax: (852) 764-1024
Telex: 45794 KCIHK HX

ACHILLES CORPORATION

No. 22 Daikyocho, Shinjuku-ku
Tokyo 160, Japan
Phone: (03) 3341-5111
Fax: (03) 3351-6963, (03) 3358-1194
Telex: J26556 ACHILLES

Printed in USA

achilles